

Canadian Anaesthetists' Society Journal

Index of Authors

VOLUME 32, 1985

- Aaron D, see *Fyman PN*, jt. auth.
- Abboud TK, Shnider SM, Dailey Pa, et al. Intrathecal administration of hyperbaric morphine for the relief of pain in labor (abst.), 193
- Abou-Madi M, see *Ravussin P*, jt. auth.
- Abramowitz MD, see *Hannallah RS*, jt. auth.
- Abrams LM, see *Casthely PA*, jt. auth.
- Adams JP, see *Lee DS*, jt. auth.
- Adelhøj B, Petring OU, Jensen BN, Mikkelsen, S.
Refraining from cigarette smoking before premedication does not decrease the risk of acid pulmonary aspiration during anaesthesia, 499
- Adu-Gyamfi Y, see *Gyasi HK*, jt. auth.
- Ahmed SN, see *Coles JC*, jt. auth.
- Ahuja B, Strunin L. Ventilatory effects of epidural fentanyl (abst.), S77
- Albright GA. What is the place of bupivacaine in obstetric epidural analgesia? (conference summary), 392
- Alifimoff, JK, Brandon BW, Cook DR. Enflurane, halothane and isoflurane do not inhibit angiotensin converting enzyme activity, 351
- Alton JDM, see *Matsushima Y*, jt. auth.
- Amundson GM, see *Weston G*, jt. auth.
- Amyot R, see *Michoud MC*, jt. auth.
- Apfelbaum JL, Shaw LM, Gross JB, Caldwell CB, Spaulding BC. Modification of lidocaine protein binding with CO₂, 468
- Archer DP, see *Ravussin P*, jt. auth.
- Arimura H, Ikemoto Y, Ito T, Yoshitake J. Lack of effects of d-tubocurarine and pancurolium on the slow action potential of the guinea pig papillary muscle, 484
- Athanassiou E, see *Fassoulaki A*, jt. auth.
- Badgwell JM, Heavner JE, Cockings E, Cooper MW. Cardiac dysrhythmia in children during halothane anaesthesia: the effects of atropine versus glycopyrrolate and the effects of depth of anaesthesia (abst.), S93
- Bailey A, Lydon JC, Spielman FJ. Thrombolytic therapy (brief review), 385
- Bain JA. Doppler crystal fixation with double-stick discs (correspondence), 201
- Barabas E, see *Zsigmond EK*, jt. auth.
- Barker RA, Moffitt EA, Imrie DD, Cousins CL, Sullivan JA, Kinley CE, Murphy DA. Haemodynamic and myocardial metabolic effects of nitroprusside given postoperatively to coronary patients (abst.), S85
- Bates CP. Muscarinic cardiac effects of pyridostigmine (correspondence), 315
- Baumgarten RK, Brown JL. Can nondepolarizing relaxants replace succinylcholine for rapid-sequence induction? (abst.), S57
- Bernstein M, see *McLean R*, jt. auth.
- Bevan DR. Atracurium and vecuronium (editorial), 317
- Craig DB. The Canadian Anaesthetists' Society Research Award: editorial, 460
- see *Doherty WG*, jt. auth.
- see *Donati F*, jt. auth.
- see *Hewson Jr*, jt. auth.
- see *Lavelle Pa*, jt. auth.
- Biehl D, see *Swartz J*, jt. auth.
- Biehl RD. Foetal monitoring during surgery unrelated to pregnancy: editorial, 455
- Biehl DR, see *Kozody R*, jt. auth.
- Blain R, see *Donati F*, jt. auth.
- Blari I. Marcaine label changes (correspondence), 202
- Black R, see *Cuillerier DJ*, jt. auth.
- Blume W, see *Gelb AW*, jt. auth.
- Bonner JT, see *Cordero AS*, jt. auth.
- Boulanger M. Stress-free cardiac anaesthesia (refresher course outline), S20
- see *Donati F*, jt. auth.
- Bowman JL, see *Christopher KL*, jt. auth.
- Bradley EL, see *Tverskoy M*, jt. auth.
- Bradley JP, Marsland A, Salkfield I. The MCS system (multi-circuit system) (abst.), S102
- Branch RA, see *Herman RJ*, jt. auth.
- Brandon BW, see *Alifimoff JK*, jt. auth.
- Breen PJ, see *Doherty WG*, jt. auth.
- Britt BA. Diltiazem (review article), 30

- Malignant hyperthermia (continuing medical education), 665; (refresher course outline), S40
- Brown EM, see Brown M, jt. auth.
- Brown JL, see Baumgarten RK, jt. auth.
- Brown M, Gordon LK, Brown OW, Brown EM. Intravascular monitoring via the axillary artery: abst., 5, 562
- Brown MJ, see Desjardins R, jt. auth.
- Brown OW, see Brown M, jt. auth.
- Brown SC, Lam AM, Manninen PH, Knill RL. Pharmacokinetic study of isoflurane-arterial and CSF uptake and elimination (abst.), S74
- Brown TCK. Safe paediatric anaesthesia (refresher course outline), S22
- Brownwell AKW, see Paasuke R, jt. auth.
- Brunet D, see Johnson G, jt. auth.
- Bryck RJ. Relaxation of tracheomotor tone by PEEP: influence of hypocapnia and acidemia, 12
- Brynes RK, see Cordero AS, jt. auth.
- Budd K. The use of partial antagonist analgesics in the treatment of acute and chronic pain (conference summary), 399
- Burki NK. Ventilatory effects of doxapram in conscious human subjects (abst.), 94
- Burrows F, see James PD, jt. auth.
- Burrows FA, Hickey PR, Colan S. Perioperative complications in patients with anthracycline chemotherapeutic agents (clinical report), 149
- Rabinovitch M. The pulmonary circulation in children with congenital heart disease: morphologic and morphometric considerations (review article), 364
- see Cunliffe M, jt. auth.
- Bussell JA, see Moffitt EA, jt. auth.
- Butler P, see Crawford D, jt. auth.
- Byrick RJ, Ycas JO, Salerno TA. Tracheomotor response to cardiopulmonary bypass: influence of lung deflation and cardiac distension, 223
- Cabin HS, see Rowley KM, jt. auth.
- Caldwell CB, see Apfelbaum JF, jt. auth.
- Campbell JM, see Tam S, jt. auth.
- Cannon JE, see Hudson RJ, jt. auth.
- Capuano C, see Giffin JP, jt. auth.
- see Wolf GL, jt. auth.
- Carle H, see MacDonald AI, jt. auth.
- Carmichael F, see McLean, jt. auth.
- Carrico J, see Pepe PP, jt. auth.
- Cartwright DP. Recovery after anaesthesia with alfen-tanil or halothane, 479
- Casey KL, see Chapman CR, jt. auth.
- Cashman JN, Jones RM, Vella LM. Fade characteristics and onset times following administration of pancuronium, tubocurarine and a mixture of both agents: abs., 562
- Casthely PA, Cottrell JE, Urquhart PA. Comparison of metaproterenol, isoetharine and salbutamol in the relief of methacholine-induced bronchospasm in dogs, 112
- Fyman PN, Abrams LM, Griep RB, Ergin MA. Anaesthesia for aortic arch aneurysm repair: experience with 17 patients (clinical report), 73
- Landesman S, Fyman PN, Ergin MA, Griep R, Wolf GL. Retrograde intubation in patients undergoing open heart surgery: clinical report, 661
- Villanueva R, Rabinowitz L, Gandhi P, Litwak B, Fyman PN. Intrapulmonary shunting during deliberate hypotension with nifedipine, diltiazem and labetalol in dogs, 119
- Celli BR, Rodriguez KS, Snider GL. A controlled trial of intermittent positive pressure breathing, incentive spirometry, and deep breathing exercises in preventing pulmonary complications after abdominal surgery (abst.), 194
- Cervenko F, see Johnson G, jt. auth.
- Chapleau D, see Michoud MC, jt. auth.
- Chapman CR, Casey KL, Dubner R, Foley KM, Gracely RH, Reading, AE. Pain measurement: an overview: abst., 563
- Chetty K, see Hubbell FA, jt. auth.
- Chinyanga HM, see Lee KC, jt. auth.
- Chovaz PM, Sandler AN. Respiratory effects following epidural and systemic morphine in post-thoracotomy patients (abst.), S78
- Christopher KL, Neff TA, Bowman JL, Eberle DJ, Irvin CG, Good JT Jr. Demand and continuous flow intermittent mandatory ventilation systems: abst., 563
- Chuma R, see Obara H, jt. auth.
- Chung DC. Let us pay tribute to our clinician-teachers: correspondence, 569
- Chung F, Evans D. Low-dose fentanyl: haemodynamic response during induction and intubation in geriatric patients, 622; (abst.), S61
- see Tam S, jt. auth.
- Clement JL, see Moote CA, jt. auth.
- Clubb KS, see Rowley KM, jt. auth.
- Cockings E, see Badgwell JM, jt. auth.
- Colan S, see Burrows FA, jt. auth.
- Coles JC, Goldbach MM, Ahmed SN, Wells GA, Mehta HV. Left main-stem coronary artery disease: surgical versus medical management (abst.), 193

- Cook DR, see Alifimoff JK, jt. auth.
- Coombs DW, see Maloney LL, jt. auth.
- Coombs R, Saunders R, Savage S, Jensen L, Murphy C. Chronic intrathecal clonidine and narcotic tolerance (abst.), S63
- Coonan TJ, Hope CE, Howes WJ, Holness RO, MacInnis EL. Ankylosis of the temporo-mandibular joint after temporal craniotomy: a cause of difficult intubation (clinical report), 158
- Cooper MW, see Badgwell JM, jt. auth.
- Cordero AS, Bonner JT, Brynes RK. AIDS and the anaesthetist (brief review), 45
- Côté J, Lapointe P. Anaesthetic management for the elderly patient (continuing medical education), 188
- Cottrell JE, see Casthely PA, jt. auth.
- see Griffin JP, jt. auth.
- Cousins CL, see Barker RA, jt. auth.
- see Moffitt EA, jt. auth.
- Cousins M, see Ilsley AH, jt. auth.
- Cousins MJ, Plummer JLW, Hall P de la M. Toxicity of volatile anaesthetic agents (refresher course outline), S52
- Couture J, see Michoud MC, jt. auth.
- see Vanier M, jt. auth.
- Craig DB, see Bevan DR, jt. auth.
- see Hammond GW, jt. auth.
- Crankshaw DP, see Prideaux PR, jt. auth.
- Crawford D, Froese AB, Butler P. Arterial gas tensions influence seizure duration in dogs receiving ECT (abst.), S73
- Creighton RE, see James PD, jt. auth.
- Cuillerier DJ, Martin R, Léna P, Lamarche Y, Black R. Axillary block: a method to improve its success rate (abst.), S71
- Cumming MO, see Kozody R, jt. auth.
- Cummings M, see Swartz, jt. auth.
- Cunliffe M, Burrows FA. Anaesthetic implications of nemaline rod myopathy: clinical report, 543
- Cunningham AJ, O'Higgins N, McNicholas W. Flow volume loop pulmonary function testing in the evaluation of patients with goitre undergoing thyroidectomy (abst.), S83
- Dailey PA, see Abboud TK, jt. auth.
- Davies JM, Pasuke RT. Controversies in pain relief in anaesthesia (conference summary – introduction), 390
- Strunin L. Anesthesia in 1984: How safe is it? (abst.), 193
- see Sutherland T, jt. auth.
- Dechène J-P. Alfentanil as an adjunct to thiopentone and nitrous oxide in short surgical procedures, 346
- DelliColli P, see Ramsay JG, jt. auth.
- DeMajo WAD, see Hewson Jr, jt. auth.
- Desai SP, see Mallampati SR, jt. auth.
- Desjardins R, Brown MJ, Doolery CT. Endogenous opiate peptides modulating adrenergic response to stress (abst.), S104
- Desmeules H, Fournier L, Tremblay P-R. Systemic changes in elderly patient and their anaesthetic implications (continuing medical education), 184
- Deutsch S, see Mayhew JF, jt. auth.
- Diamond MJ. Anaesthesia and emesis. Clinical usefulness of metoclopramide (correspondence), 198
- Doherty WG, Breen PJ, Donati F, Bevan DR. Accelerated onset of pancuronium with divided doses, 1
- Dohi S, see Nishikawa T, jt. auth.
- Donati F, Bevan DR. The pharmacodynamic half-life of atracurium (abst.), S56
- Maille J-G, Blain R, Boulanger M, Sahab P. End-Tidal carbon dioxide tension and temperature changes after coronary artery bypass surgery (clinical report), 272
- see Doherty WJ, jt. auth.
- see Lavelle PA, jt. auth.
- Doolan LA. Traumatic injury to the cervical spine. Recognition of instability and subsequent safe intubation (abst.), S84
- Doolery CT, see Desjardins R, jt. auth.
- Downs A, see Kowalski SE, jt. auth.
- Downs J, see Räsänen K, jt. auth.
- Douglas, MJ, see Robertson, K, jt. auth.
- Doyle DJ. Haemodynamic consultant: a computer system for haemodynamic monitoring and therapy (abst.), S68
- Dubner R, see Chapman CR, jt. auth.
- Duckett JE, McDonnell TJ, Unger M, Parr GVS. General anaesthesia for Nd:YAG laser resection of obstructing endobronchial tumours using the rigid bronchoscope (clinical report), 67
- Duffin J, Hung S. Respiratory rhythm generation (review article), 124
- Duke PC, see Kozody R, jt. auth.
- Duncan PG. Availability of dantrolene in Canadian hospitals (editorial), 205
- Eberle DJ, see Christopher KL, jt. auth.
- Edelist G, see Writer WDR, jt. auth.
- Epstein BS, see Hannallah RS, jt. auth.

Ergin A, see *Fyman PN*, jt. auth.

Ergin MA, see *Casthely PA*, jt. auth.

Evans D, see *Chung F*, jt. auth.

— see *Writer WDR*, jt. auth.

Famewo CE. Induction of anaesthesia with etomidate in a patient with acute intermittent porphyria (clinical report), 171

— *Naguib M*. Meperidine as the sole agent for spinal anaesthesia (abst.), S75

— *Naguib M*. Spinal anaesthesia with meperidine as the sole agent: clinical report, 533

Farag H, see *Nagiub M*, jt. auth.

Farrar JK, see *Murkin JM*, jt. auth.

Fassoulaki A, *Athanassiou E*. Cardiovascular responses to the insertion of noasgrastic tubes during general anaesthesia: clinical report, 651

Fay J, see *Harder KF*, jt. auth.

Feldman D, see *Wagner RL*, jt. auth.

Ferguson G, see *Gelb AW*, jt. auth.

Finegan BA, see *Weiler R*, jt. auth.

Finholt DA, *Henry DB*, *Raphaely RC*. Factors affecting leak around tracheal tubes in children, 326

— see *Garner L*, jt. auth.

Fisher M McD, *Graham R*. Adverse responses to local anaesthetics: abst., 562

Flemming J, *Walker A*, *Lambert T*. Effects of bupivacaine on foetal umbilical circulation and gas exchange (abst.), S75

Fliegel JE, see *Muller BJ*, jt. auth.

Floyd P, see *Gelb AW*, jt. auth.

Foley KM, see *Chapman CR*, jt. auth.

Forrest JB, see *Writer WDR*, jt. auth.

Fournier L, see *Desmeules H*, jt. auth.

Fowler KC, see *Tverskoy M*, jt. auth.

Fox GS, see *Writer WDR*, jt. auth.

Freeman AB, *Steinbrook*. Recurrence of pulsus alternans after fentanyl injection in a patient with aortic stenosis and congestive heart failure: clinical report, 654

Freeman J, see *Ravaussin P*, jt. auth.

Freiberger D, see *Mallampati SR*, jt. auth.

Frieson RM, see *Hudson RJ*, jt. auth.

Froese AB, see *Crawford D*, jt. auth.

Frost EAM. Management of head injury (refresher course outline), S32

Fyman PN, *Goodman K*, *Hartung J*, *Aaron D*, *Ergin A*. Comparison of nitroglycerin and nitroprusside for attenuation of post-cardiopulmonary bypass temperature decrease (abst.), S89

— see *Casthely PA*, jt. auth.

Gallacher WN. Correlation of central venous and pulmonary capillary wedge pressures (correspondence-reply), 203

Gallagher JD, *Smith DS*, *Meranze J*, *Nicolson SC*, *Godinez RI*. Aspiration during induction of anaesthesia in patients with colon interposition (clinical report), 56

Gallucci A, see *Muller BJ*, jt. auth.

Gandhi P, see *Casthely PA*, jt. auth.

Garner L, *Stirt JA*, *Finholt DA*. Heart block after intravenous lidocaine in an infant (clinical report), 425

Gates B, see *Halpern S*, jt. auth.

Gatt St, see *Mallampati SR*, jt. auth.

Gelb AW, *Manninen P*, *Ferguson G*, *Blume W*. Cerebral monitoring during carotid endarterectomy: their value in predicting neurological outcome and the influence of anaesthetic agents (abst.), S82

— *Shokunbi T*, *Floyd P*, *Mervart M*, *Peerless SJ*. The effect of lidocaine on focal cerebral ischaemia in a feline model (abst.), S105

— see *Hewson Jr*, jt. auth.

— see *Newman B*, jt. auth.

Gelman S, see *Tverskoy M*, jt. auth.

Charest J, see *Hardy JF*, jt. auth.

Gidwaney A, see *Halpern S*, jt. auth.

Giffin JP, *Litwak B*, *Cottrell JE*, *Hartung J*, *Capuano C*. Intracranial pressure, mean arterial pressure and heart rate after rapid paralysis with atracurium in cats, 618

Giles WR, see *Lam F*, jt. auth.

Gillman MA. Nitrous oxide and its opioid emetic properties (correspondence), 315

— *Lichtigfeld FJ*. Nitrous oxide analgesia and the endogenous opioid system (correspondence), 200

Girouard G, see *Hardy JF*, jt. auth.

Glassford JG. Medical indications for regional anaesthesia (conference summary), 396

Glenn JJ, see *Moffitt EA*, jt. auth.

Godinez RI, see *Gallagher JD*, jt. auth.

Goldbach MM, see *Coles JC*, jt. auth.

Good JT Jr, see *Christopher KL*, jt. auth.

Goodman K, see *Fyman PN*, jt. auth.

Gordon LK, see *Brown M*, jt. auth.

Goudsouzian NG. Muscle relaxants in infants and children (refresher course outline), S27

Gracely RH, see *Chapman DR*, jt. auth.

Graham G, see *Woodey R*, jt. auth.

Graham R, see *Sicher M McD*, jt. auth.

Gray RJ, see *Moffitt EA*, jt. auth.

Greenfield S, see *Hubbell FA*, jt. auth.

Griep RB, see *Casthely PA*, jt. auth.

- Gross JB, see Apfelbaum JL, jt. auth.
- Gugino LD, see Mallampati SR, jt. auth.
- Guiraudon G, see Murkin JM, jt. auth.
- Gyasi HK, Naguib M. Atracurium and severe hepatic disease: a case report (clinical report), 161
- Naguib M, Adu-Gyamfi Y. Atracurium for short surgical procedures: a comparison with succinylcholine, 613; (abst.), S58
- Hall ID, Leiman BC. Atracurium in neonatal anaesthesia (correspondence), 453
- Hall P de la M, see Cousins MJ, jt. auth.
- Halpern S, Gidwaney A, Gates B. Anaesthesia for Caesarean section in a pre-eclamptic patient with Ebstein's anomaly (clinical report), 244
- Halsey MJ, see Pope WDB, jt. auth.
- Hamaji M, Miyata M, Kawamori R, Shichiri M, Mashimo T, Nakao K, Kawashima Y. Blood glucose control by an artificial endocrine pancreas in a patient with pheochromocytoma; clinical report, 538
- Hammond G, see Pope WDB, jt. auth.
- Hammond GW, Craig DB. Hepatitis-B vaccine for anaesthesia personnel (editorial), 210
- Hanna M, see Harpin RP, jt. auth.
- Hannallah RS, Abramowitz MD, McGill WA, Epstein BS. Rectal methohexitone induction in pediatric outpatients: physostigmine does not enhance recovery, 231
- Hanning CD. Optimal interval between curare pre-treatment and succinylcholine (correspondence) 452
- Hanowell S, see Kim YD, jt. auth.
- Harder KF, Fay J, Shelley ES. Holter monitoring of anaesthetists during a 24-hour on-call period (abst.), S66
- Hardy JF, Girouard G, Charest J. Nausea and vomiting after strabismus surgery in pre-schoolers: droperidol is not an effective prophylactic anti-emetic (abst.), S103
- see Plourde G, jt. auth.
- Harpin RP, Wright DJ, Hanna M. A novel approach to the treatment of reflex sympathetic dystrophy and similar conditions (abst.), S100
- Hartung J, see Fyman PN, jt. auth.
- see Giffin JP, jt. auth.
- see Wolf GL, jt. auth.
- Heavner JE, see Badgwell JM, jt. auth.
- Heikkilä J, see Räsänen K, jt. auth.
- Heinonen J, Salmenperä M, Takkunen O. Increased pulmonary artery diastolic-pulmonary wedge pressure gradient after cardiopulmonary bypass (clinical report), 165
- Henry DB, see Finholt DA, jt. auth.
- Herman RJ, McAllister CB, Branch RA, Wilkinson GR. Effects of age on meperidine disposition (abst.), 308
- Hew EM, see Rolbin SH, jt. auth.
- Hewson JR, Gelb AW, DeMajo Wad, Bevan DR. Homeostatic alterations with major trauma (a panel discussion), 235
- Hickey PR, see Burrows FA, jt. auth.
- Higgs BD, see Ramsay JG, jt. auth.
- Hisano H, see Obara H, jt. auth.
- Hobbes AFT, see Symonds NLP, jt. auth.
- Holness RO, see Coonan TJ, jt. auth.
- Hope CE, see Coonan TJ, jt. auth.
- see Writer WDR, jt. auth.
- Horishi M, see Okunc T, jt. auth.
- Horrow JC. Thrombocytopenia accompanying a reaction to protamine sulfate (clinical report), 49
- Hoshina H, see Obara H, jt. auth.
- Houle G. Practical considerations in regional anaesthesia (refresher course outline), S47
- Houston P, see McLean R, jt. auth.
- Howes WJ, see Coonan TJ, jt. auth.
- Hubbell FA, Greenfield S, Tyler JL, Chetty K, Wyle FA. The impact of routine admission chest x-ray films on patient care: abst., S62
- Hudson LD, see Pepe PP, jt. auth.
- Hudson RJ, Thomson IR, Cannon JE, Friesen RM, Meatherall RC. Pharmacokinetics of fentanyl in patients undergoing abdominal aortic surgery (abst.), S60
- Hug CC, Jr, see Murkin JM, jt. auth.
- Hughes PJ. Nerve blocks around the thigh (abst.), S76
- Hull CJ. Pharmacokinetics and clinical anaesthesia (refresher course outline), S12
- Hung S, see Duffin J, jt. auth.
- Hurtig JB, see Writer WDR, jt. auth.
- Ikemoto Y, see Arimura H, jt. auth.
- Ilisley A, see Selby DG, jt. auth.
- Ilisley AH, Plummer J, Runciman W, Cousins M. Accuracy and linearity of three volatile anaesthetic agent monitors (abst.), S80
- Imrie DD, see Barker RA, jt. auth.
- see Moffitt EA, jt. auth.
- Irvin CG, see Christopher KL, jt. auth.
- Ishikawa T, see Miyauchi Y, jt. auth.
- Ito T, see Arimura H, jt. auth.
- Iwai S, see Obara H, jt. auth.

- James PD, McLeod ME, Relton JES, Creighton RE.* Anaesthetic considerations for separation of omphalo-ischiogapous tripus twins (clinical report), 402
- *Volgyesi GA, Burrows F.* Unusual EEG frequency changes with isoflurane anaesthesia in children (abst.), S97
- *Volgyesi GA, Burrows F.* Use of ANQ monitor to detect cerebral ischaemia during cardiac surgery (abst.), S87
- Jenkins LC, Scoates PJ.* Anaesthetic implications of calcium channel blockers (continuing medical education), 437
- Jensen BN, see Adelhøj B, jt. auth.*
- Jensen L, see Coombs R, jt. auth.*
- Johnson G, Loomis C, Milne B, Cervenka F, Brunet D.* Relationship between blood isoflurane concentration and EEG changes during cardiopulmonary bypass (abst.), S88
- Jones M, see Kim YD, jt. auth.*
- Jones RL, see Matsushima Y, jt. auth.*
- Jones RM, see Cashman JN, jt. auth.*
- Joshi RN, see Naguib M, jt. auth.*
- Jyu C, Lamb JD.* Respiratory depression following epidural morphine (correspondence), 99
- Kan PB, see Wagner RL, jt. auth.*
- Kawamori R, see Hamaji M, jt. auth.*
- Kim YD, Michalik R, Lees DE, Jones M, Hanowell S, Macnamara TE.* Protamine induced arterial hypoxaemia: the relationship to hypoxic pulmonary vasoconstriction, 5
- King EG, see Matsushima Y, jt. auth.*
- Kingston HGG, see Lee JT, jt. auth.*
- Kinley CE, see Barker RA, jt. auth.*
- *see Moffitt EA, jt. auth.*
- Kiskis AA, see Lerman J, jt. auth.*
- Klineberg PL, see Navarathnam RG, jt. auth.*
- Knill RL.* Evaluation of arterial oxygenation during anaesthesia (refresher course outline), S16
- *see Brown SC, jt. auth.*
- *see Moote CA, jt. auth.*
- Korbon GA, see Stirt JA, jt. auth.*
- Kortilla K, see Valanne J, jt. auth.*
- Kothary SP, see Pandit SK, jt. auth.*
- Kowalski SE.* Mitral valve prolapse (brief review), 138
- *Downs A, Lye C, Oppenheimer L.* Extravascular lung water during aortic cross clamping (abst.), S90
- Kozody R, Duke PC, Wade JG.* Effects of thoracic aortic cross-clamping on spinal cord blood flow (abst.), S91
- *Ong B, Palahniuk RJ, Wade JG, Cumming MO, Pucci WR.* Subarachnoid bupivacaine decreases spinal cord blood flow in dogs, 216
- *Palahniuk RJ, Cumming MO.* Spinal cord blood flow following subarachnoid tetracaine, 23
- *Parrott J, Duke PC, Wade JG.* The effect of intercostal ligations on spinal cord blood flow (abst.), S92
- *Swartz J, Palahniuk RJ, Biehl DR, Wade JG.* Spinal cord blood flow following subarachnoid lidocaine, 472
- Kunz NR, see Pandit SK, jt. auth.*
- Lah F, Giles WR, Trudinger BJ.* Epidural anaesthesia for Caesarean section and its effect on maternal uterine and foetal umbilical placental arterial blood flow velocity-time waveforms (abst.), S76
- Lahoud J, see Lavelle PA, jt. auth.*
- Lam AM, see Brown SC, jt. auth.*
- *see Newman B, jt. auth.*
- Lamarche Y.* Anaesthetic breathing circuit leak from cracked oxygen analyzer sensor connector (correspondence), 682
- *see Cuillerier DJ, jt. auth.*
- Lamb JD.* Anaesthetic considerations for major thermal injury (continuing medical education), 84
- *see Jyu C, jt. auth.*
- *see Weiler R, jt. auth.*
- Lambert T, see Flemming J, jt. auth.*
- Landesman S, see Casthely PA, jt. auth.*
- Lapointe P, see Côté J, jt. auth.*
- Latto IP, see Shah MV, jt. auth.*
- Lavelle PA, Walsh CM, Lahoud J, Donati F, Bevan DR.* Onset of action of pancuronium and d-tubocurarine with priming doses (abst.), S58
- Layman PR.* Transtracheal ventilation: (correspondence), 684
- Leaver HK, see Symonds NLP, jt. auth.*
- Lee DS, Adams JP, Zimmerman JE.* Malignant hyperthermia: a possible new variant (clinical report), 268
- Lee KC, Chinyanga HM.* Use of a modified doppler flow detector for percutaneous cannulation of the internal jugular vein: Technical report, 548
- Lee JT, Kingston HGG.* Airway obstruction due to massive lingual oedema following cleft palate surgery (clinical report), 265
- Legatt D, see MacDonald AI, jt. auth.*
- Leiman BC, see Hall ID, jt. auth.*
- Léna P, see Cuillerier DJ, jt. auth.*
- Lerman J, Kiskis AA.* Lidocaine attenuates the in-

- traocular pressure response to rapid intubation in children, 339
- Liberman BA, Teasdale SJ.* Anaesthesia and amiodarone, 629
- Lichtigfeld FJ*, see *Gillman MA*, jt. auth.
- Litwak B*, see *Casthely PA*, jt. auth.
- see *Giffin JP*, jt. auth.
- Liu LMP*, see *Liu PL*, jt. auth.
- Liu PL, Warren TM, Ostheimer GW, Weiss JB, Liu LMP.* Foetal monitoring in parturients undergoing surgery unrelated to pregnancy: clinical report, 525
- see *Mallampati SR*, jt. auth.
- Loomis C*, see *Johnson G*, jt. auth.
- Lydon JC*, see *Bailey A*, jt. auth.
- Lye C*, see *Kowalski SE*, jt. auth.
- McAllister CB*, see *Herman RJ*, jt. auth.
- McCulloch P, Milne B.* Emergent neurologic phenomena: comparison of enflurane and isoflurane (abst.), S70
- MacDonald AI, Carle H, Vincent D, Legatt D.* Changes in lidocaine and systemic effects of three concentrations of epinephrine in supraclavicular brachial plexus block (abst.), S67
- McDonnell TJ*, see *Duckett JE*, jt. auth.
- McGill WA*, see *Hammallah RS*, jt. auth.
- MacInnis EL*, see *Coonan TJ*, jt. auth.
- McIntyre AJ*, see *Moffitt EA*, jt. auth.
- McKenzie FN*, see *Murkin JM*, jt. auth.
- McLean R, Houston P, Carmichael F, Bernstein M.* Disruption of an armoured endotracheal tube caused by biting (correspondence), 313
- McLeod ME*, see *James PD*, jt. auth.
- see *Sloan IAJ*, jt. auth.
- McMorland GH*, see *Robertson K*, jt. auth.
- Macnamara TE*, see *Kim YD*, jt. auth.
- McNicholas W*, see *Cunningham AJ*, jt. auth.
- Maekawa N*, see *Obara H*, jt. auth.
- Maekawa T*, see *Miyauchi Y*, jt. auth.
- Mah TG.* Massive haemorrhage during attempted laparoscopy: correspondence, 567
- Maille J-G*, see *Donati F*, jt. auth.
- Mallampati SR, Gatt SP, Gugino LD, Desai SP, Waraksa B, Freiburger D, Liu PL.* A clinical sign to predict difficult tracheal intubation: a prospective study (clinical report), 429
- Maloney LL, Coombs DW, Yeager MP.* Effect of cimetidine on biotransformation of enflurane in man (abst.), S94
- Malby JR.* Intraoperative failure of a Fluotec Mark II vapourizer (correspondence), 200
- Manninen PH*, see *Brown SC*, jt. auth.
- see *Gelb AW*, jt. auth.
- Marsland A*, see *Bradley JP*, jt. auth.
- Martin R*, see *Cuillerier DJ*, jt. auth.
- Mashimo T*, see *Hamahi M*, jt. auth.
- Mather L*, see *Selby DG*, jt. auth.
- Matloff JM*, see *Moffitt EA*, jt. auth.
- Matsuki A*, see *Yamashita M*, jt. auth.
- Matsushima Y, Jones RL, King EG, Moysa G, Alton JDM.* Alterations in pulmonary mechanics and gas exchange during routine fiberoptic bronchoscopy (abst.), 194
- Mayhew JF, Deutsch S.* Cardiac arrest following administration of vancomycin (clinical report), 65
- Meatherall RC*, see *Hudson RJ*, jt. auth.
- Mehta HV*, see *Coles JC*, jt. auth.
- Meranze J*, see *Gallagher JD*, jt. auth.
- Mervart M*, see *Gelb AW*, jt. auth.
- Metcalfe IR*, see *Robinson RJS*, jt. auth.
- Meyer E*, see *Ravussin P*, jt. auth.
- Michalik R*, see *Kim YD*, jt. auth.
- Michoud MC, Amyot R, St-Jean D, Chapleau D, Couture J.* Post-anaesthetic decrease in airways response to histamine (abst.), S93
- Mikkelsen S*, see *Adeljø B*, jt. auth.
- Miller D, Robblee JA.* Perioperative management of a patient with a malignant pheochromocytoma (clinical report), 278
- Miller ED, Jr.* Perioperative hypertension (refresher course outline), S42
- Milne B*, see *Johnson G*, jt. auth.
- see *McCulloch P*, jt. auth.
- Mirakhor RK.* Glycopyrrolate and human plasma cholinesterase (correspondence), 683
- Miyata M*, see *Hamaji M*, jt. auth.
- Miyauchi Y, Sakabe T, Maekawa T, Ishikawa T, Takeshita H.* Responses of EEG cerebral oxygen consumption and blood flow to peripheral nerve stimulation during thiopentone anaesthesia in the dog, 491
- Moffitt EA, McIntyre AJ, Glenn JJ, Imrie DD, Cousins CL, Kinley CE, Sullivan JA, Murphy DD.* Myocardial metabolism and haemodynamic responses with fentanyl-halothane anaesthesia for coronary patients (abst.), S86
- *Sethna DH, Bussell JA, Raymond MJ, Matloff JM, Gray RJ.* Effects of intubation on coronary blood flow myocardial oxygenation, 105
- see *Barker RA*, jt. auth.

- Moldenhauer CC, see Murkin JM, jt. auth.
- Moote CA, Knill RL, Clement JL. Isoflurane anaesthesia impairs the quality of sleep in humans (abst.), S99
- Morgan DJ, see Prideaux PR, jt. auth.
- Morison DH, Smedstad KG. Continuous infusion epidurals for obstetric analgesia (editorial), 101
- Morris R, see Woodey R, jt. auth.
- Morris RW, Whish DKM. A controlled trial of pain on skin infiltration with local anaesthetics (abst.), 95
- Moysa G, see Matsushima Y, jt. auth.
- Muller BJ, Fliegel JE. Acute epiglottitis in a 79-year-old man (clinical report), 415
- Gallucci A. Pulmonary artery catheter induced pulmonary artery rupture in patients undergoing cardiac surgery (clinical report), 258
- Murkin JM, Farrar JK, Tweed WA, Guiraudon G, McKenzie FN. Cerebral versus systemic oxygen consumption during high-dose narcotic anaesthesia for cardiac surgery (abst.), S63
- Moldenhauer CC, Hug CC, Jr. High-dose fentanyl for rapid induction of anaesthesia in patients with coronary artery disease, 320
- Murphy C, see Coombs R, jt. auth.
- Murphy DA, see Barker RA, jt. auth.
- see Moffitt EA, jt. auth.
- Nadeau S, Tousignant M. Use of a urologic set for improved fluid administration rates (technical report), 283
- Naguib M, Farag H, Joshi RN. Bilateral hydrothorax and hydromediastinum after a cubclavian line insertion (clinical report), 412
- see Famewo CE, jt. auth.
- see Gyasi HK, jt. auth.
- Nakamura K, see Obara H, jt. auth.
- Nakao K, see Hamaji M, jt. auth.
- Navarathnam RG, Wang IYS, Thomas D, Klineberg PL. Evaluation of the transcutaneous electrical nerve stimulator for postoperative analgesia following cardiac surgery (abst.), 308
- Needs RE, see Writer WDR, jt. auth.
- Neff RA, see Christopher KL, jt. auth.
- Newman B, Gelb AW, Lam AM. Cerebral blood flow and metabolism during isoflurane-induced hypotension (abst.), S71
- Nicolson SC, see Gallagher JD, jt. auth.
- Nikki P, see Räsänen K, jt. auth.
- Nishikawa T, Dohi S. Baroflex function in a patient with Bartter's syndrome (clinical report), 646
- Noble WH. Pulmonary oedema (refresher course outline), S24
- Noble WH, see Slusarenko P, jt. auth.
- Obara H, Maekawa N, Hoshina H, Tanaka O, Chuma R, Iwai S, Hisano H, Nakamura K, Yamamoto T. Plasma levels of vitamin E and lipoperoxide during paediatric anaesthesia, 358
- O'Donovan N, Shaw J. Nausea and vomiting in day-case dental anaesthesia (abst.), 308
- O'Higgins N, see Cunningham AJ, jt. auth.
- Okanoue T, see Okuno T, jt. auth.
- Okuno T, Takeda M, Horishi M, Okanoue T, Takino T. Hepatitis due to repeated inhalation of methoxyflurane in subanaesthetic concentrations (clinical report), 53
- Ong B, see Kozody, R, jt. auth.
- Oppenheimer L, see Kowalski SE, jt. auth.
- Ostheimer GW, see Liu PL, jt. auth.
- Oyama T, see Yamashita M, jt. auth.
- Paasuke R, Brownwell AKW. Availability of dantrolene in Canadian hospitals: correspondence, 567
- Paasuke RT, see Davies JM, jt. auth.
- Palahniuk RJ, see Kozody R, jt. auth.
- Palazzo MGA, Strunin L. Anaesthesia and emesis (correspondence-reply), 199
- Strunin L. Fentanyl and emesis (correspondence-reply), 314
- Pandit SK, Kothary SP, Pandit UA, Kunz NR. Double-blind placebo-controlled comparison of dezocine and morphine for post-operative pain relief, 583
- Pandit UA, see Pandit SK, jt. auth.
- Parr GVS, see Duckett JE, jt. auth.
- Parrott J, see Kozody R, jt. auth.
- Paterson RA, Tousignant M, Skene DS. Caesarean section for twins in a patient with myotonic dystrophy (clinical report), 418
- Paulus DA, see Schultetus RR, jt. auth.
- Peerless SJ, see Gelb AW, jt. auth.
- Pepe PP, Hudson LD, Carrico J. Early application of positive end-expiratory pressure in patients at risk for the adult respiratory-distress syndrome (abst.), 193
- Petring OU, see Adelhoff B, jt. auth.
- Plourde G, Hardy JF. Regurgitation and anaesthesia: importance of volume of gastric content in the cat (abst.), S66
- Plummer J, see Ilsley AH, jt. auth.
- Plummer JLW, see Cousins MJ, jt. auth.

- Pope WDB, Halsey MJ, Hammond G, Ward CF. Occupational hazards of anaesthesia (a panel discussion), 142
- Prideaux PR, Crankshaw DP, Morgan DJ. Plasma thiopentone levels during continuous infusion of thiopentone in cardiac surgical patients (abst.), S106
- Pucci W, see Swartz J, jt. auth.
- Pucci WR, see Kozody R, jt. auth.
- Rabinovitch M, see Burrows FA, jt. auth.
- Rabinowitz L, see Casthely PA, jt. auth.
- Raphaely RC, see Finholt DA, jt. auth.
- Ralley FE, see Ramsay JG, jt. auth.
- Ramsay FM, Smith GD. Clinical use of atracurium in myasthenia gravis: a case report: clinical report, 642
- Ramsay JG, Higgs BD, Wynands JE, Robbins R, Townsend GE. Early extubation after high-dose fentanyl anaesthesia for aortocoronary bypass surgery: reversal of respiratory depression with low-dose nalbuphine, 597
- Ralley FE, Whalley DG, DelliColli P, Wynands JE. Site of temperature monitoring and prediction of afterdrop after open heart surgery, 607
- Räsänen K, Heikkilä J, Downs J, Nikki P, Väisänen I, Viitanen A. Continuous positive airway pressure by face mask in acute cardiogenic pulmonary edema (abst.), 307
- Ravussin P. Transtracheal ventilation: (correspondence - reply), 684
- Archer DP, Meyer E, Abou-Madi M, Trop D. The effect of mannitol bolus on cerebral blood volume, intracranial pressure, haematocrit, and total blood volume in normal dogs (abst.), S81
- Archer DP, Meyer E, Abou-Madi M, Yamamoto L, Trop D. The Effects of rapid infusions of saline and mannitol on cerebral blood volume and intracranial pressure in dogs, 506
- Freeman J. A new transtracheal catheter for ventilation and resuscitation (clinical report), 60
- Raymond MJ, see Moffitt EA, jt. auth.
- Reading AE, see Chapman CR, jt. auth.
- Relle A, see Rolbin SH, jt. auth.
- Relton JES, see James PD, jt. auth.
- Reves JG. Cardiac physiology and monitoring (refresher course outline), S1
- Robbins R, see Ramsay JG, jt. auth.
- Robblee JA, see Miller D, jt. auth.
- Robertson K, Douglas MJ, McMorland GH. Epidural fentanyl with and without epinephrine for post-Caesarean section analgesia, 502
- Robinson RJS, Metcalf IR. Hypertension after epidural meperidine: clinical report, 658
- Rodriguez KS, see Celli BR, jt. auth.
- Rolbin SH, Relle A, Hew EM. Hyperventilation does not affect the incidence of paresthesiae and blood vessel cannulation during epidural catheter insertion: correspondence, 568
- Rosenthal MH, see Wagner RL, jt. auth.
- Roth SH. Pharmacology of epidural anaesthesia (conference summary), 391
- see Weston GA, jt. auth.
- Rowley KM, Clubb KS, Smith GJW, Cabin HS. Right-sided infective endocarditis as a consequence of flow-directed pulmonary-artery catheterization. A clinicopathological study of 55 autopsied patients (abst.), 307
- Roy WL. Intraoperative aspiration in a paediatric patient: clinical report, 639
- Runciman W, see Ilsley AH, jt. auth.
- see Selby DG, jt. auth.
- Sahab P, see Donati F, jt. auth.
- Sakabe T, see Miyauchi Y, jt. auth.
- Salerno TA, see Byrick RJ, jt. auth.
- Salkfield I, see Marsland A, jt. auth.
- Salmenperä M, see Heinonen J, jt. auth.
- Sandler AN, see Chovaz PM, jt. auth.
- Sato M, see Yamashita M, jt. auth.
- Saunders R, see Coombs R, jt. auth.
- Savage S, see Coombs R, jt. auth.
- Scoates PJ, see Jenkins LC, jt. auth.
- Scott WAC. Haemodynamic monitoring: Measurement of systemic blood pressure (continuing medical education), 294
- Schultetus RR, Paulus DA, Spohr GL. Haemodynamic effects of ketamine and thiopentone during anaesthetic induction for Caesarean section, 592
- Seegobin RD, van Hasselt GL. Endotracheal cuff pressure and tracheal mucosal blood flow: endoscopic study effects of four large volume cuffs (abst.), 95
- Selby DG. Accuracy and applicability of five carbon dioxide monitors (abst.), S79
- Ilsley A, Runciman W, Mather L. Magnitude and duration of depression of drug clearance from halothane anaesthesia in the sheep (abst.), S98
- Sethna DH, see Moffitt EA, jt. auth.
- Shah MV, Watkins G, Latta IP. The effect of written advice on preoperative cigarette consumption (abst.), 308
- Shaw J, see O'Donovan N, jt. auth.

- Shaw LM, see Apfelbaum JL, jt. auth.
- Shelley ES, see Harder KF, jt. auth.
- Shichiri M, see Hamaji M, jt. auth.
- Shnider SM, see Abboud TK, jt. auth.
- Shokunbi T, see Gelb AW, jt. auth.
- Shuptrine Jr, see Stirt JA, jt. auth.
- Skene DS, see Paterson RA, jt. auth.
- Sloan IAJ, McLeod ME. Evaluation of the jet injector in paediatric fiberoptic bronchoscopes (technical report), 79
- Slusarenko P, Noble WH. Epidural anaesthesia: concerns regarding informed consent (correspondence), 681
- Smedstad KG, see Morison DH, jt. auth.
- Smith DS, see Gallagher JD, jt. auth.
- Smith GD, see Ramsey FM, jt. auth.
- Smith GJW, see Rowley KM, jt. auth.
- Snider GL, see Celli BR, jt. auth.
- Sosis M. Fentanyl and emesis (correspondence), 314
- Spaulding BC, see Apfelbaum JL, jt. auth.
- Spielman FJ, see Bailey A, jt. auth.
- Spohr GL, see Schultetus RR, jt. auth.
- St-Jean S, see Michoud MC, jt. auth.
- Steinbrook RA, see Freeman AB, jt. auth.
- Sternick GS, see Stirt JA, jt. auth.
- Stirt JA, Shuptrine JR, Sternick CS, Korbon GA. Anisocoria after anaesthesia (clinical report), 422
- see Garner L, jt. auth.
- Stock J, Sutherland AD. The effect of H₂ receptor antagonist premedication on serum fentanyl concentrations in surgical outpatients (abst.), S62
- Stock J, see Sutherland T, jt. auth.
- Stock JG. Anaesthetic indications for regional anaesthesia (conference summary), 397
- Stock JGL, Sutherland AD. The role of H₂ receptor antagonist premedication in pregnant day care patients, 463
- Strunin L, see Ahuja B, jt. auth.
- see Davies JM, jt. auth.
- see Palazzo MGA, jt. auth.
- see Weston G, jt. auth.
- see Zissos A, jt. auth.
- Sullivan JA, see Barker RA, jt. auth.
- see Moffitt EA, jt. auth.
- Sutherland AD, see Stock JGL, jt. auth.
- Sutherland T, Davies JM, Stock J. The price and value of preoperative outpatient fasting — effects on gastric contents and outpatient morbidity (abst.), S100
- see Williams RT, jt. auth.
- Swartz J, Cummings M, Pucci W, Biehl D. The effects of general anaesthesia on the asphyxiated foetal lamb in utero, 577
- see Kozody R, jt. auth.
- Sykes MK. Nuffield Department of Anaesthetics, Oxford (correspondence), 684
- Slusarenko P, Noble WH. Epidural anaesthesia: concerns regarding informed consent: correspondence, 681
- Symonds NLP, Leaver HK. Air embolism during craniotomy in the seated position: a comparison of methods for detection (clinical report), 174
- Symonds NLP, Hobbes AFT, Leaver HK. Anaphylactoid reactions to vancomycin during anaesthesia: two clinical reports (clinical report), 178
- Takeda M, see Okuno T, jt. auth.
- Takeshita H, see Miyauchi Y, jt. auth.
- Takino T, see Okuno T, jt. auth.
- Takkunen O, see Heinonen J, jt. auth.
- Tam S, Chung F, Campbell JM. Attenuation of circulatory response to endotracheal intubation using intravenous lidocaine: a determination of the optimal time of injection (abst.), S65
- Tanaka O, see Obara H, jt. auth.
- Teasdale SJ, see Liberman BA, jt. auth.
- Thomas D, see Navarathnam RG, jt. auth.
- Thomson IR, see Hudson RJ, jt. auth.
- Torda R, see Woodey R, jt. auth.
- Tousignant M, see Nadeau S, jt. auth.
- see Paterson RA, jt. auth.
- Townsend GE, see Ramsay JG, jt. auth.
- Tremblay P-R, see Desmeules H, jt. auth.
- Trop D, see Ravussin P, jt. auth.
- Trudinger BJ, see Lah F, jt. auth.
- Tverskoy M, Gelman S, Fowler KC, Bradley EL. Effects of anaesthesia induction drugs on circulation in denervated intestinal loop preparation, 516
- Tweed WA, see Murkin JM, jt. auth.
- Tyler JL, see Hubbell FA, jt. auth.
- Unger M, see Duckett JE, jt. auth.
- Urquhart PA, see Casthely PA, jt. auth.
- Väisänen I, see Räsänen J, jt. auth.
- Valanne J, Korttila K. Effect of a small dose of droperidol on nausea, vomiting and recovery after outpatient enflurane anaesthesia: (abst.), 563
- van Hasselt GL, see Seegobin RD, jt. auth.

- Vanier M, Vikis-Freiberg V, Couture J. Memory deficits after general anaesthesia in outpatients (abst.), S95
- Vella LM, see Cashman JN, jt. auth.
- Viitanen A, see Räsänen J, jt. auth.
- Vikis-Freiberg V, see Vanier M, jt. auth.
- Villanueva R, see Casthely PA, jt. auth.
- Vincent D, see MacDonald AI, jt. auth.
- Volgyesi GA, see James PD, jt. auth.
- Wachholz C. Divers alert network (DAN) (correspondence), 97
- Wade JG, see Kozody R, jt. auth.
- Wagner RL, White PF, Kan PB, Rosenthal MH, Feldman D. Inhibition of adrenal steroidogenesis by the anesthetic etomidate (abst.), 94
- Walker A, see Flemming J, jt. auth.
- Walsh CM, see Lavelle PA, jt. auth.
- Wang E, see Zsigmond EK, jt. auth.
- Wang, IYS, see Navarathnam, RG, jt. auth.
- Waraksa B, see Mallampati SR, jt. auth.
- Ward CF, see Pope WDB, jt. auth.
- Warren TM, see Liu PL, jt. auth.
- Watkins G, see Sham MV, jt. auth.
- Weiler R, Lamb JD, Finegan BA. Mass spectrometry in the operating room (correspondence), 98
- Weiss JB, see Liu PL, jt. auth.
- Wells GA, see Coles JC, jt. auth.
- Weston G, Strunin L, Amundson GM. Imaging for anaesthetists: a review of the methods and anaesthetic implications of diagnostic imaging techniques: continuing medical education, 552
- Weston GA, Roth SH. The volatile anaesthetics halothane, enflurane and isoflurane, produce selective effects on the firing pattern of a single isolated neuron (abst.), S96
- Whalley DG. Correlation of central venous and pulmonary capillary wedge pressures (correspondence), 203
- Haemodynamic monitoring: Pulmonary artery catheterization (continuing medical education), 299
- Ramsay JG, jt. auth.
- Whish DKM, see Morris RW, jt. auth.
- White PF, see Wagner RL, jt. auth.
- Wilkinson GR, see Herman RJ, jt. auth.
- Williams KA. The effect of protamine sulphate on plasma ionized calcium levels in man (abst.), S85
- Williams RT, Sutherland T. Comparison of intubation times using right-vs left-handed laryngoscope blades (abst.), S101
- Wills DG. Anaesthetic management of posterior lumbar osteotomy (clinical report), 248
- Winnie AP, see Zsigmond EK, jt. auth.
- Wolf GL, Capuano C, Hartung J. Gas analysis of intraocular SF₆ following nitrous oxide anaesthesia (abst.), S97
- Woodey R, Morris R, Graham G, Torda R. Relation of train of four ratio and twitch depression with pancuronium (abst.), S59
- Wolf GL, see Casthely PA, jt. auth.
- Wright DJ, see Harpin RP, jt. auth.
- Writer WDR. The rational use of bupivacaine in obstetric epidural anaesthesia (conference summary), 394
- Hurtig JB, Edelist G, Evans D, Fox GS, Needs RE, Hope CE, Forrest JB. Epidural morphine prophylaxis of postoperative pain: report of a double-blind multicentre study, 330
- Wyle FA, see Hubbell FA, jt. auth.
- Wynands JE. Haemodynamic monitoring: Cardiovascular system function (continuing medical education), 288
- see Ramsay JG, jt. auth.
- Yamamoto L, see Ravussin P, jt. auth.
- Yamamoto T, see Obara H, jt. auth.
- Yamashita M, Matsuki A, Oyama T. An improved scavenger box for the cryoprobe (correspondence), 99
- Sato M. Colour coding of stopcocks used in pressure monitoring systems (correspondence) 452
- Ycas JO, see Byrick RJ, jt. auth.
- Yeager MP, see Maloney LL, jt. auth.
- Yoshitake J, see Arimura H, jt. auth.
- Zeldin RA. Assessing cardiac risk in patients who undergo noncardiac surgical procedures (abst.), 94
- Zimmerman JE, see Lee DS, jt. auth.
- Zissos A, Strunin L. Computers in anaesthesia (review article), 374
- Winnie AP, Barabas E, Wang XY. The inhibitory effect of glycopyrrolate on human plasma-cholinesterase, 20
- Zsigmond EK. Glycopyrrolate and human plasma cholinesterase (correspondence – reply), 683

Canadian Anaesthetists' Society Journal

Index of Subjects

VOLUME 32, 1985

Accidents see Complications

Acid-base equilibrium, hypocapnia and acidemia, influence on relaxation of tracheomotor tone by PEEP (Byrick), 12

Age factors

- anaesthesia for the geriatric patient: continuing medical education (Desmeules *et al.*), 183
- cardiovascular response in geriatric patients during induction and intubation with low-dose fentanyl (Chung and Evans), 622
- effect on meperidine sensitivity: abst. (Herman *et al.*), 308

AIDS, see Immune system

Airway

- obstruction due to massive lingual oedema following cleft palate surgery: clinical report (Lee and Kingston), 265
- response to histamine, effects of barbiturates and inhalation anaesthesia on: abst. (Michoud *et al.*), S93

Alfentanil, see Analgesics

Allergy

- thrombocytopenia accompanying a reaction to protomane sulfate: clinical report (Horrow), 49

Amiodarone, see Antiarrhythmics

Anaesthesia

- and head injury: refresher course outline (Frost), S32
- arterial oxygenation during: refresher course outline (Knill), S16
- automated, 380
- calcium channel blockers, implications for use of: continuing medical education (Jenkins and Scoates), 436
- computers in: review article (Zissos and Strunin), 374
- cardiac, stress free: refresher course outline (Boulanger), S20
- cardiovascular
 - end-tidal carbon-dioxide tension and temperature changes after coronary artery bypass (Donati *et al.*), 272

- fentanyl for rapid induction in patients with coronary artery disease (Murkin *et al.*), 320
- dental, droperidol as an anti-emetic in: abst. (O'Donovan and Shaw), 307
- depth, effect on cardiac dysrhythmia in children during halothane anaesthesia: abst. (Badgwell *et al.*), S93
- general, for diagnostic imaging procedures, techniques and problems: continuing medical education (Weston *et al.*), 552
- geriatric
 - continuing medical education (Côté and Lapointe), 188
 - systemic changes in elderly, anaesthetic implications of: continuing medical education (Desmoules *et al.*), 184
- induction drugs, ketamine, diazepam, midazolam, pento-barbitone, effects on circulation in denervated intestinal loop preparation (Tverskoy *et al.*), 516
- measurement techniques, computer system for haemodynamic monitoring and therapy: abst. (Doyle), S68
- neurosurgical, air embolism during craniotomy, comparison of detection methods: clinical report (Symons and Leaver), 174
- obstetric
 - Caesarean section
 - epidural, effect on maternal uterine and foetal umbilical placental arterial blood flow velocity-time waveform: abst. (Lah *et al.*), S76
 - epidural fentanyl with and without epinephrine for post section analgesia (Robertson *et al.*), 502
 - epidural morphine for postoperative pain (Writer *et al.*), 330
 - for twins, in a patient with myotonic dystrophy: clinical report (Paterson *et al.*), 418
 - haemodynamic effects of ketamine and thiopentone during anaesthetic induction for (Schultetus *et al.*), 592

- in a pre-eclamptic patient with Ebstein's anomaly: clinical report (Halpern *et al.*), 244
- continuous infusion of epidurals for: editorial (Morison and Smedstad), 101
- effects of anaesthetic agents on asphyxiated foetal lamb *in utero* (Swartz), 577
- epidural, bupivacaine in: conference summary (Albright), 392
- epidural, paresthesia and blood vessel cannulation caused by insertion of catheter, effect of hyper-ventilation on: correspondence (Rolbin *et al.*), 568
- intrathecal morphine in labour: abst. (Abboud *et al.*), 193
- outpatient
 - memory deficits after: abst. (Vanier *et al.*), S95
 - paediatric, rectal methohexitone induction in, effect of physostigmine on recovery (Hannallah *et al.*), 231
 - pregnancy patients, role of H₂ receptor antagonist premedication (Jeremy *et al.*), 463
- paediatric
 - anisocoria after: clinical report (Stirt *et al.*), 422
 - atracurium in: correspondence (Hall and Leiman), 453
 - factors affecting leak around tracheal tubes in (Finholt *et al.*), 326
 - for separation of omphalo-ischiopagus tripus twins: clinical report (Janes *et al.*), 403
 - halothane, dysrhythmias in, effect of atropine versus glycopyrrolate and depth of anaesthesia on: abst. (Badgwell *et al.*), S93
 - heart block, complicating lidocaine: clinical report (Garner *et al.*), 425
 - intraoperative aspiration in: clinical report (Roy), 639
 - intubation, effect of lidocaine on intraocular pressure response to (Lerman and Kiskis), 339
 - isoflurane, unusual EEG frequency changes with: abst. (James *et al.*), S97
 - neuromuscular relaxants in: refresher course outline (Goudsouzian), S27
 - outpatients; rectal methohexitone induction in, effect of physostigmine on recovery (Hannallah *et al.*), 231
 - plasma levels of vitamin E and lipoperoxide during (Obara *et al.*), 359
 - safe: refresher course outline (Brown), S22
- pharmacokinetics and: refresher course outline (Hull), S12
- safety of: abst. (Davies and Strunin), 193
- scheduling, computers in, 379
- Anaesthesiologists
 - AIDS and: brief review (Codero *et al.*), 45
 - hepatitis-B vaccine for anaesthesia personnel: editorial (Hammond and Craig), 210
 - Holter monitoring of, during 24 hour on-call period: abst. (Harder *et al.*), S66
- Anesthesiology
 - occupational hazards of: panel discussion (Pope *et al.*), 142
- Anaesthetic techniques
 - bronchoscopy, fiberoptic, lung function during: abst. (Matsushima *et al.*), 194
 - CVP catheterization, use of Doppler flow detector in: technical report (Lee and Chinyanga), 548
- epidural
 - caudal, in management of posterior lumbar osteotomy: clinical report (Wills), 248
 - fentanyl, ventilation effects of: abst. (Ahuja and Strunin), S77
 - fentanyl with and without epinephrine for post Caesarean section analgesia (Robertson *et al.*), 502
 - for surgical removal of malignant pheochromocytoma: clinical report (Miller and Robblee), 278
 - morphine prophylaxis of post-operative pain (Writer *et al.*), 330
 - pharmacology of: conference summary (Roth), 391
- for management of patients with nemaline rod myopathy: clinical report (Cunliffe and Burrows), 543
- general
 - for Nd:YAG laser resection of obstructing endobronchial tumours, using the rigid bronchoscope: clinical report (Duckett *et al.*), 67
 - in management of posterior lumbar osteotomy (Wills), 248
 - inhalation, in management of perioperative complications in patients with anthracycline chemotherapeutic agents: clinical report (Burrows *et al.*), 149
- hypotension, induced
 - nitroprusside administered in postoperative coronary patients, haemodynamic and myocardial effects: abst. (Barker *et al.*), S85
 - with isoflurane, cerebral blood flow and metabolism during: abst. (Newman *et al.*), S71
 - with nifedipine, diltiazem and labetalol in dogs, intrapulmonary shunting during (Casthely *et al.*), 119

- *hypothermia*
 - and circulatory arrest for aortic arch aneurysm repair: clinical report (Casthely *et al.*), 73
 - cardio-pulmonary-bypass, influence on VO_2 and $CMRO_2$: abst. (Murkin *et al.*), S63
 - inhalation agents, in cases of nemaline rod myopathy: clinical report (Cunliffe and Burrows), 543
 - intravenous sedation in management of posterior lumbar osteotomy: clinical report (Wills), 248
 - jet ventilation in bronchoscopy using paediatric fiberoptic bronchoscopes: technical report (Sloan and McLeod), 79
 - laryngoscopy, clinical sign to predict difficult intubation in: clinical report (Malampatti *et al.*), 429
 - management in major thermal injuries: continuing medical education (Lamb), 84
 - nasogastric tube insertion during general anaesthesia, cardiovascular response to: clinical report (Fassoulaki and Athanassiou), 651
 - nerve blocks around the thigh: abst. (Hughes), S76
 - neuromuscular block, onset times of pancuronium and d-tubocurarine administered separately and combined: abst. (Cashman *et al.*), 562
 - neuromuscular blocking agents, avoidance of, in cases of nemalin rod myopathy: clinical report (Cunliffe and Burrows), 543
 - *regional*
 - axillary block, a method to improve success rate: abst. (Cullerier *et al.*), S71
 - anaesthetic indications for: conference summary (Stock), 397
 - brachial plexus block, supraclavicular, changes in lidocaine level and systemic effects of three concentrations of epinephrine on: abst. (MacDonald *et al.*), S67
 - epidural, informed consent: correspondence (Slusarenko and Noble), 681
 - epidural in obstetrics, paresthesia and blood vessel cannulation caused by catheter insertion, effect of hyperventilation on: correspondence (Rolbin *et al.*), 568
 - medical indications for: conference summary (Glassford), 396
 - practical considerations: refresher course outline (Houle), S47
 - spinal, meperidine as the sole agent (Famewo and Naguib), S33: abst. S75
 - subarachnoid block
 - with lidocaine, changes in spinal cord blood following (Kozody *et al.*), 472
 - with tetracaine, spinal cord blood flow following (Kozody *et al.*), 23
- Anaesthetics**
- labeling, marcaine label changes: correspondence (Blair), 202
- Anaesthetics, gases**
- inhalation, prolonged, effects of on airway response to histamine: abst. (Michoud *et al.*), S93
 - *nitrous oxide*
 - analysis and endogenous opioid system: correspondence (Gillman and Lichtigfeld), 200
 - and its opioid emetic properties: correspondence (Gillman), 315
 - effects of, on the asphyxiated foetal lamb *in utero* (Swartz *et al.*), 577
 - gas analysis of intraocular SF_6 following: abst. (Wolf *et al.*), S97
- Anaesthetics, Intravenous**
- *droperidol*
 - as an anti-emetic following strabismus surgery in preschoolers: abst. (Hardy *et al.*), S103
 - as an anti-emetic for outpatients: abst. (Valanne *et al.*), 563
 - low dose, as an anti-emetic: abst. (O'Donovan and Shaw), 307
 - epidural morphine, respiratory depression following administration of: correspondence (Jyu and Lamb), 99
 - *etomidate*
 - endocrine effects of: abst. (Wagner *et al.*), 94
 - induction with, in patient with intermittent porphyria: clinical report (Famewo), 71
 - *fentanyl*
 - and emesis: correspondence (Sosis), 314; reply (Palazzo), 314
 - early extubation after high-dose, for aortocoronary bypass (Ramsay *et al.*), 597
 - epidural, ventilatory effects of: abst. (Ahuja and Strunin), S77
 - for rapid induction, in patients with coronary artery disease (Murkin *et al.*), 320
 - halothane, for coronary patients, myocardial metabolism and haemodynamic responses to: abst. (Moffitt *et al.*), S86
 - pharmacokinetics of, in patients undergoing abdominal aortic surgery: abst. (Hudson *et al.*), S60
 - serum concentrations in surgical outpatients, effect of H_2 receptor antagonist premedication on: abst. (Stock and Sutherland), S62

- *ketamine*
 - haemodynamic effects of, during anaesthetic induction for Caesarean section (Schultetus *et al.*), 592
 - in management of posterior lumbar osteotomy: clinical report (Wills), 248
- methohexitone, rectal, induction in paediatric outpatients, influence of physostigmine on recovery (Hannallah *et al.*), 231
- *thiopentone*
 - and nitrous oxide in short surgical procedures, alfentanil as an adjunct to (Dechène), 346
 - continuous infusion in cardiac surgery, plasma levels during: abst. (Prideaux *et al.*), S106
 - haemodynamic effects of, during anaesthetic induction for Caesarean section (Schultetus *et al.*), 592
 - response of EEG, cerebral oxygen consumption and blood flow to peripheral nerve stimulation during (Miyauchi *et al.*), 491
- Anaesthetics, Local
 - adverse responses to: abst. (Fisher and Graham), 562
- *bupivacaine*
 - effects on foetal umbilical circulation and gas exchange: abst. (Fleming *et al.*), S75
 - place of, in obstetric epidural analgesia: conference summary (Albright), 392
 - subarachnoid, decreases spinal cord blood flow in dogs (Kozody *et al.*), 216
- continuous infusion of epidurals for: editorial (Morison and Smedstad), 101
- controlled trial of pain on skin infiltration with: abst. (Morris and Whish), 95
- *lidocaine*
 - effect on focal cerebral ischaemia in the cat: abst. (Gelb *et al.*), S105
 - effect on intraocular pressure response to rapid intubation in children (Lerman and Kiskis), 339
 - for endotracheal intubation, determination of optimal time of injection to attenuate circulatory response to: abst. (Tam), S65
 - in infant, heart block after: clinical report (Germer *et al.*), 425
 - levels, changes in, effect on subclavicular brachial plexus block: abst. (MacDonald *et al.*), S67
 - modification of protein binding with CO₂ (Apfelbaum *et al.*), 468
 - subarachnoid, spinal cord blood flow following (Kozody *et al.*), 472
 - tetracaine, subarachnoid, spinal cord blood flow following (Kozody *et al.*), 23
- Anaesthetics, Volatile
 - *enflurane*
 - effect of cimetidine on biotransformation in man: abst. (Maloney *et al.*), S94
 - halothane, isoflurane, do not inhibit angiotensin converting enzyme activity (Alifimoff *et al.*), 351
 - halothane, isoflurane, effects on firing pattern of a single isolated neuron: abst. (Weston and Roth), S96
 - hepatotoxicity of: refresher course outline (Cousins *et al.*), S52
 - transient neurologic abnormalities following, comparison with isoflurane: abst. (McCullough and Milne), S70
 - *halothane*
 - drug clearance from, magnitude and duration of depression in the sheep: abst. ((Selby *et al.*), S98
 - effects of, on the asphyxiated foetal lamb *in utero* (Swartz *et al.*), S77
 - fentanyl for coronary patients, myocardial metabolism and haemodynamic responses to: abst. (Moffitt *et al.*), S86
 - for intubation effects on coronary blood flow and myocardial oxygenation (Moffitt *et al.*), 105
 - hepatotoxicity of: refresher course outline (Cousins *et al.*), S52
 - recovery after anaesthesia with (Cartwright), 479
 - in management of patients with nemaline rod myopathy: clinical report (Cunliffe and Burrows), 543
 - *isoflurane*
 - blood concentrations in cardio-pulmonary-bypass, correlated with EEG changes: abst. (Johnson *et al.*), S88
 - hepatotoxicity of: refresher course outline (Cousins *et al.*), S52
 - impairs quality of sleep in humans: abst. (Moote *et al.*), S99
 - induced hypotension, effect on cerebral blood flow and metabolism: abst. (Newman *et al.*), S70
 - pharmacokinetic study of, arterial and CSF uptake and elimination: abst. (Brown *et al.*), S74
 - transient neurologic abnormalities following, compared with enflurane: abst. (McCullough and Milne), S70

- *methoxyflurane*
 - hepatitis due to repeated inhalation of, in subanaesthetic concentrations: clinical report (Okuno *et al.*), 53
 - hepatotoxicity of: refresher course outline (Cousins *et al.*), S52
- toxicity of: refresher course outline (Cousins *et al.*), S52
- Analgesia**
 - postoperative, epidural morphine prophylaxis of postoperative pain (Writer *et al.*), 330
- see also Analgesics*
- Analgesics**
 - *alfentanil*
 - as an adjunct to thiopentone and nitrous oxide in short surgical procedures (Dechène), 346
 - recovery after anaesthesia with (Cartwright), 479
 - buprenorphine in treatment of chronic pain: conference summary (Buda), 399
 - butorphanol in treatment of chronic pain: conference summary (Buda), 399
 - dezocine, comparison with morphine for post-operative pain relief (Pandit *et al.*), 583
 - doxapram, ventilatory effects of: abst. (Burki), 94
 - *fentanyl*
 - effect on blood pressure in a patient with aortic stenosis and congestive heart failure: clinical report (Freeman and Steinbrook), 654
 - low-dose, haemodynamic response during induction and intubation in geriatric patients (Chung and Evans), 622
 - *meperidine*
 - as sole agent in spinal anaesthesia: clinical report (Famewo and Naguib), 533; abst. S75
 - effects of age on: abst. (Herman *et al.*), 308
 - epidural, hypertension after: clinical report (Robinson and Metcalf), 658
 - *morphine*
 - compared with dezocine for post-operative pain relief (Pandit *et al.*), 583
 - epidural in treatment of post-operative pain (Writer *et al.*), 330
 - for intubation, effects on coronary blood flow and myocardial oxygenation (Moffitt *et al.*), 105
 - in post thoracotomy patients, respiratory effects following epidural and systemic: abst. (Chovaz and Sandier), S78
 - intrathecal in labour: abst. (Abboud *et al.*), 193
 - nalbuphine, in treatment of chronic pain: Conference summary (Buda), 399

- narcotic, epidural fentanyl with and without epinephrine for post Caesarean section pain control (Robertson *et al.*), 502
- partial agonist, in treatment of acute and chronic pain: conference summary (Buda), 399
- Anaesthetists, see Anaesthesiologists**
- Anisocoria, see Complications**
- Antagonists, Miscellaneous**
 - physostigmine, effect on recovery in paediatric outpatients induced with rectal methohexitone (Hannallah *et al.*), 231
- Antagonists**
 - *narcotic*
 - nalbuphine, reversal of respiratory depression following fentanyl anaesthesia for aortocoronary bypass (Ramsay *et al.*), 597
 - naloxone, modulating adrenergic response to stress: abst. (Desjardins *et al.*), S104
 - neuromuscular, pyridostigmine, muscarinic cardiac effects of: correspondence (Bates), 315
- Antiarrhythmics**
 - amiodarone, interactions with anaesthetic agents (Liberman and Teasdale), 629
- Antibiotics**
 - *vancomycin*
 - anaphylactoid reactions to, during anaesthesia: clinical report (Symons *et al.*), 178
 - cardiac arrest following administration: clinical report (Mayhew and Deutsch), 65
- Antimicrobials**
 - chlorobutanol, effect on slow action potential of guinea pig papillary muscle (Arimura *et al.*), 484
- Antineoplastics**
 - daunorubicin, perioperative complications in patients receiving: clinical report (Burrows *et al.*), 149
 - doxorubicin, perioperative complications in patients receiving: clinical report (Burrows *et al.*), 149
- Aorta, see Arteries**
- Arteries**
 - *Aorta*
 - cross clamping, extravascular lung water during: abst. (Kowalski *et al.*), S90
 - surgery, correlation of central venous and pulmonary capillary wedge pressure in patients undergoing: correspondence (Whalley), 203; reply (Gallacher), 203
 - axillary, intravascular monitoring via: abst. (Brown *et al.*), 562
 - intercostal ligation, effect on spinal cord blood flow: abst. (Kozody *et al.*), S92

- thoracic aortic cross-clamping, effect on spinal cord blood flow: abst. (Kozody *et al.*), S91
- Arthropathies
- ankylosing spondylitis, anaesthetic management of posterior lumbar osteotomy for correction of: clinical report (Wills), 248
- Aspiration Pneumonia, see Complications
- Ataractics
- clonidine and narcotic tolerance in cancer patients: abst. (Coombs *et al.*), S63
- Atacurium, see Neuromuscular relaxants
- Atropine glycopyrrolate, see Premedication
- Bartter's syndrome, see Complications
- Blood
- coagulation
 - protamine induced hypoxaemia (Kim *et al.*), 5
 - protamine sulfate, effect on plasma ionized calcium levels in man: abst. (Williams), S85
 - protamine, thrombocytopenia accompanying a reaction to: clinical report (Horrow), 49
- plasma levels of vitamin E and lipoperoxide during paediatric anaesthesia (Obara *et al.*), 359
- pressure
 - angiotensin I, angiotensin II, converting enzyme activity, effect of enflurane, halothane and isoflurane on (Alifimoff *et al.*), 351
 - drug effects during anaesthetic induction for Caesarean section (Schultetus *et al.*), 592
 - drug effects (fentanyl) on, in a patient with aortic stenosis and congestive heart failure: clinical report (Freeman and Steinbrook), 654
 - drug effects (nifedipine, diltiazem and labetalol) on (Casthly *et al.*), 119
 - hypertension, perioperative: refresher course outline (Miller), S42
- Book Reviews
- *Advanced techniques in resuscitation*, by MI Greenberg (Imrie), 679
- *Anaesthetics, resuscitation and intensive care*, 6th ed. by D Campbell, AA Spence (Matthews), 565
- *Alfentanil: Pharmacology and uses in anaesthesia*, by CC Hug Jr, M Chaffman (Davies), 197
- *Acute pain*, by G Smith, BG Covino (Evans), 566
- *Anesthesia and the geriatric patient*, edited by SW Kretschel (Desmeules), 309
- *Anaesthesia safety for all - proceedings of the 8th world congress of anaesthesiologists*, Manila, Philippines, January 22-28, 1984, edited by QJ Gomez, LM Egai, MF De La Cruz (Sellery), 310
- *Anesthesiology: today and tomorrow*, edited by TH Stanley, WC Petty (Mezon), 564
- *Basics of anesthesia*, by RK Struelling, RD Miller (Maltby), 309
- *Les Benzodiazepines en anesthésie-réanimation*, C Conseiller *et al.* (Crama), 565
- *Cathétérisme veineux central percutané*, M Rosen, IP Latta, WS Ng, traduit de l'anglaise par F et RH Polge (Sahab), 96
- *Clinical anesthesiology*, by BR Brown Jr., CD Blitt, RW Vaughan (Mezon), 311
- *Critical care of the child*, ed. by O Prakash (Edmonds), 451
- *Current concepts in regional anaesthesia*, edited by JW Van Kleef, AGL Brun, JS Spierdijk (Kozody), 96
- *Handbook of regional anesthesia*, edited by PP Raj (Poon), 679
- *How to edit a scientific journal*, Claude T Bishop (Craig), 449
- *MCQ Tutor anaesthesia*, 2nd ed, AW Grogono, TH Howells, JL Seltzer, S Mann (McIntyre), 451
- *Manual of cardiac anesthesia*, edited by SJ Thomas (Whalley), 195
- *Manual of obstetric anesthesia*, edited by GW Ostheimer (Palahniuk), 195
- *Manual of pediatric anaesthesia*, 2nd ed. edited by DJ Steward (Duncan), 309
- *Opioids in anaesthesia*, edited by FG Estantanos (Davies), 449
- *Pain*, edited by R Rizzi, M Visentin (Catchlove), 312
- *La pathologie respiratoire en anesthésie-réanimation*, by CHU Pitie (Wahba), 566
- *Physiology for the anesthesiologist*, 2nd ed. N Goudsouzian, A Karamanian (Imrie), 196
- *Pulmonary physiology in clinical medicine*, 2nd ed. by GM Tisi (Knill), 196
- *Quality of care in anaesthesia practice*, edited by JN Lunn (Pope), 311
- *Respiratory physiology*, 3rd ed. by JB West (Kolton), 679
- *Recent advances in anaesthesia and analgesia*. Vol. 15, ed. by RS Atkinson and AP Adams (Enright), 450
- *Textbook on pain*, edited by PD Wall, R. Melzack (Kozody).
- *Trauma and the anaesthetist*, JC Stoddart (Bristow), 450
- Brachial plexus block, see Anaesthetic Techniques, Regional

Brain

- blood flow, cerebral
 - and metabolism, effect of isoflurane induced hypotension on: abst. (Newman *et al.*), S71
 - effect of peripheral nerve stimulation on, during thiopentone anaesthesia (Miyauchi *et al.*), 491
- cerebral blood flow, see blood flow
- cerebral blood volume, effects of rapid infusions of saline and mannitol on, in dogs (Ravussin *et al.*), 506
- cerebral ischaemia, focal, in the cat, effect of lidocaine on: abst. (Gelb *et al.*), S105
- cerebral monitoring to predict neurologic outcome and influence of anaesthetic agents during carotid endarterectomy: abst. (Gelb *et al.*), S82
- cerebral perfusion pressure, after rapid paralysis with atracurium in cats (Giffin *et al.*), 618
- electroconvulsive therapy, influence of arterial gas tension on seizure duration: abst. (Crawford *et al.*), S73
- electroencephalogram, effect of peripheral nerve stimulation on, during thiopentone anaesthesia (Miyauchi *et al.*), 491
- electroencephalogram frequency changes with isoflurane in paediatric anaesthesia: abst. (James *et al.*), S97
- electroencephalographic monitoring of cerebral function during cardio-pulmonary-bypass, correlated with blood isoflurane concentrations: abst. (Johnson *et al.*), S88
- endorphines and arachidonic metabolites in trauma, 240
- intracranial pressure
 - after rapid paralysis with atracurium in cats (Giffin *et al.*), 618
 - effects of rapid infusion of saline and mannitol on, in dogs (Ravussin *et al.*), 506
- metabolism, effect of peripheral nerve stimulation on, during thiopentone anaesthesia (Miyauchi *et al.*), 491
- neuron, firing pattern of a single, effect of volatile anaesthetics on: abst. (Weston and Smith), S96

Bronchodilators

- isoetharine compared with metaproterenol and salbutamol in the relief of methacholine-induced bronchospasm in dogs (Casthly *et al.*), 112
- metaproterenol, compared with isoetharine and salbutamol in relief of methacholine-induced bronchospasm in dogs (Casthly *et al.*), 112

- methacholine-induced bronchospasms in dogs, comparison of metaproterenol, isoetharine and salbutamol in relief of (Casthly *et al.*), 112
- salbutamol, compared with metaproterenol and isoetharine in relief of methacholine-induced bronchospasm in dogs (Casthly *et al.*), 112

Bronchoscope, see Equipment**Bronchoscopy, see Surgery****Bronchospasm, see Complications****Burns, see Complications****Bupivacaine, see Anaesthetics, local****Caesarean section, see Anaesthesia, obstetric****Calcium, see Ions****Canadian Anaesthetists' Society, see Organizations****Cancer**

- chronic intrathecal clonidine and narcotic tolerance in: abst. (Coombs *et al.*), S63

Cannulation, see Veins**Carbon dioxide**

- hypoventilation, effect on occurrence of paresthesiae of cannulation of epidural vein during epidural anaesthesia in obstetrics: correspondence (Rolbin *et al.*), 568
- tension and temperature changes after coronary artery bypass surgery: clinical report (Conati *et al.*), 272
- tension, changes in, effect on lidocaine protein binding (Apfelbaum *et al.*), 468

Cardiac, see Heart; Surgery, cardiac**Cardiac arrest, see Complications****Cardiopulmonary bypass, see Surgery, cardiovascular****Cardiovascular system, see Heart****Cerebral, see Brain****Chlorobutanol, see Antimicrobials****Cholinesterase, see Enzymes****Cigaretts, see Tobacco****Cimetidine, see Histamine****Clonidine, see Ataractics****Complications**

- adverse responses to local anaesthetics: abst. (Fisher and Graham), 562
- anaphylactoid reactions to vancomycin during anaesthesia: clinical report (Symons *et al.*), 178
- anisocoria after anaesthesia: clinical report (Stirt *et al.*), 422
- ankylosis of temporo-mandibular joint after temporal craniotomy: a cause of difficult intubation: clinical report (Coonan *et al.*), 158
- arrhythmias, heart block after intravenous lidocaine in an infant: clinical report (Garner *et al.*), 425

- asphyxia of foetal lamb in utero, effects of general anaesthesia on (Swartz *et al.*), 577
- *aspiration*
 - and anaesthesia, importance of gastric content in the cat: abst. (Plourde and Hardy), S66
 - during induction of anaesthesia in patients with colon interposition clinical report (Gallagher *et al.*), 56
 - gastric contents, volume and outpatient morbidity, value of pre-operative fasting: abst. (Sutherland *et al.*), S100
 - intraoperative in a paediatric patient: clinical report (Roy), 639
 - of gastric contents during anaesthesia, effect of refraining from cigarette smoking before premedication on risk of (Adelhøy *et al.*), 499
 - pneumonia in pregnant day-care patients, role of H₂ receptor antagonist premedication to reduce risk of (Jerney *et al.*), 463
- association with cannulation of internal jugular vein, use of a Doppler flow detector to reduce risk of: technical report (Lee and Chinyanga), 548
- Bartter's syndrome, baroreflex function in a patient with: clinical report (Nishikawa and Dohi), 646
- bronchospasm, methacholine-induced, in dogs, comparison of metaproterenol, isoetharine and salbutamol in relief of (Casthely *et al.*), 112
- burns, thermal injuries, anaesthetic considerations: continuing medical education (Lamb), 84
- cardiac arrest following administration of vancomycin: clinical report (Mayhew and Deutsch), 65
- *cardiovascular*
 - (hypertension, tachycardia, arrhythmia) response to insertion of nasogastric tubes during general anaesthesia: clinical report (Fassoulaki and Athanassiou), 651
 - perioperative, in patients with anthracycline chemotherapeutic agents: clinical report (Burrows *et al.*), 149
- depression of drug clearance, from halothane anaesthesia in the sheep: abst. (Selby *et al.*), S98
- diabetes mellitus in a patient undergoing surgery for pheochromocytoma, blood glucose control by an artificial pancreas: clinical report (Hamaji *et al.*), 538
- difficult intubation, a new transtracheal catheter for ventilation: clinical report (Ravussin and Freeman), 60
- endocarditis following pulmonary artery catheterization: abst. (Rowley *et al.*), 307
- endocrine, effects of etomidate: abst. (Wagner *et al.*), 94
- haemorrhage, massive, during attempted laparoscopy: correspondence (Mah), 567
- hydrothorax, bilateral, after subclavian line insertion: clinical report (Naguib *et al.*), 412
- hypertension after epidural meperidine: clinical report (Robinson and Metcalf), 658
- hypotension, accompanying a reaction to protamine sulfate: clinical report (Horrow), 49
- lingual oedema causing airway obstruction following cleft palate surgery: clinical report (Lee and Kingston), 265
- muscle rigidity, in short surgical procedures using alfentanil as an adjunct to thiopentone and nitrous oxide anaesthesia (Dechene), 346
- myasthenia gravis, clinical use of atracurium in: clinical report (Ramsey and Smith), 642
- paresthesia, caused by insertion of epidural catheter in epidural anaesthesia, effect of hyperventilation on (Rolbin *et al.*), 568
- pre-eclampsia and Ebstein's anomaly, anaesthesia for Caesarean section in patients with: clinical report (Halpern *et al.*), 244
- pulmonary artery rupture, induced by pulmonary artery catheter in patients undergoing cardiac surgery: clinical report (Muller and Gallucci), 258
- pulmonary function, changes in case of nemaline rod myopathy: clinical report (Cunliffe and Burrows), 543
- respiratory depression following epidural morphine: correspondence (Jyce and Lamb), 99
- underwater diving injuries, Divers Alert Network (DNA): correspondence (Wachholz), 97
- Computers, see Anaesthesia, measurement; Diagnosis, techniques; Monitoring
- Congenital defects, see Genetic factors; Individual organs
- Continuous positive airway pressure, see Ventilation
- Curare, see Neuromuscular relaxants
- Dantrolene, see Hyperthermia, malignant pyrexia
- Daunorubicin, see Antineoplastics
- Dental anaesthesia, see Anaesthesia, dental
- Depression, Complications
- Dezocine, see Analgesics
- Diagnosis
 - computer assisted (X-ray computerized tomography), anaesthetic implications of: continuing medical education (Weston *et al.*), 552

- imaging techniques (X-rays), a review of methods and anaesthetic implications of: continuing medical education (Weston *et al.*), 552
- Diltiazem, see Calcium entry blockers
- Divers Alert Network (DAN); correspondence (Wachholz), 97
- Doxapram, see Analeptics
- Doxorubin, see Antineoplastics
- Droperidol, see Anaesthetics, Intravenous
- Drug interactions
 - metyrosine, prazosin, methylmethacrylate, in patients with malignant pheochromocytoma undergoing surgery: clinical report (Miller and Robblee), 278
- Dystrophy, see Genetic factors

- Ebstein's anomaly, see Genetic factors
- Edema, see Lungs
- Education
 - clinician-teachers, let us pay tribute to: Correspondence (Chung), 569
 - computer assisted learning, 381
- Electroconvulsion, see Brain
- Embolism
 - systemic air, during craniotomy, comparison of detection methods: clinical report (Symons and Leaver), 174
 - thromboembolic therapy: brief review (Bailey *et al.*), 385
- Emesis, see Vomiting
- Endocarditis, see Complications
- Endorphins, see Brain
- Endotracheal tubes, see Equipment
- Enzymes
 - *plasmacholinesterase*
 - deficiency, atracurium and: clinical report (Gyasi and Naguib), 161
 - hydrolysis of succinylcholine inhibiting effect of glycopyrrolate and atropine on (Zsigmond *et al.*), 20; correspondence (Mirakhur), 683; reply (Zsigmond), 683
 - inhibiting effect of glycopyrrolate on (Zsigmond *et al.*), 20
- Epiglottitis, adult, airway management in: clinical report (Muller), 415
- Epinephrine, see Sympathetic nervous system-catecholamines
- Equipment
 - blood transfusion set for improved fluid administration rates: technical report (Nadeau and Tousignant), 283
 - bronchoscope, rigid, general anaesthesia for Nd:YAG laser excision of obstructing endobronchial tumour: clinical report (Duckett *et al.*), 67
 - capnometers, accuracy and clinical suitability of five models: abst. (Selby), S79
 - circuits, MCS (multi circuit system): abst. (Bradley *et al.*), S102
 - connector, leakage from in anaesthetic circuit: correspondence
 - Doppler crystal fixation with double stick discs: (Lamarche) Correspondence (Bain), 201
 - Doppler flow detector for percutaneous cannulation of internal jugular vein: technical report (Lee and Chinyanga), 548
 - *endotracheal tubes*
 - disruption of, caused by biting: correspondence (McLean *et al.*), 313
 - early extubation after high-dose anaesthesia for aortocoronary bypass surgery (Ramsay *et al.*), 597
 - Exhaust system, an improved scavenger box for the cryoprobe, correspondence (Yamashita *et al.*), 99
 - fluid infusion sets, urologic, for improved fluid administration rates: technical report (Nadeau and Tousignant), 283
 - laryngoscope, intubation times using right- v. left-handed blades compared: abst. (Williams and Sutherland), S101
 - laser, laser Nd:YAG excision of obstructing endobronchial tumour using rigid bronchoscope, general anaesthesia for: clinical report (Duckett *et al.*), 67
 - mass spectrometry in the operating room: correspondence (Weiler *et al.*), 98
 - mechanical lung, intermittent mandatory ventilation systems: abst. (Christopher *et al.*), 563
 - *monitors*
 - ADQ in surgery to detect cerebral ischaemia: abst. (Janes *et al.*), S87
 - carbon-dioxide, accuracy and applicability of five: abst. (Selby), S79
 - Holter, for monitoring anaesthetists during a 24 hour on-call period: abst. (Harder *et al.*), S66
 - monitoring systems, colour coding of stopcocks used in: correspondence (Yamashita and Sato), 453
 - mouth retractors, use in prolonged surgery for cleft palate, causing massive lingual oedema: clinical report (Lee and Kingston), 265
 - nasogastric tubes, cardiovascular responses to the insertion of, during general anaesthesia: clinical report (Fassoulaki and Athanassiou), 651

- pulmonary artery catheterization, haemodynamic monitoring technique: continuing medical education (Whalley), 299
- Sanders jet injector, evaluation in paediatric fiberoptic bronchoscopes; technical report (Sloan and McLeod), 79
- tracheal tube cuff pressures: abst. (Seegobin and Van Hasselt), 95
- transcutaneous electric nerve stimulator for analgesia following cardiac surgery: abst. (Navarathnam *et al.*), 308
- transtracheal catheter for ventilation and resuscitation: clinical report (Ravussin and Freeman), 60: correspondence (Layman), 684; reply (Ravussin), 684
- vapourizer, Fluotec Mark II, intraoperative failure: correspondence (Maltby), 200

Etomidate, see Anaesthetics, Intravenous

Eye

- intraocular pressure response to intubation in children, effect of lidocaine on (Lerman and Kiskis), 339
- intraocular SF₆, gas analysis of, following nitrous oxide anaesthesia: abst. (Wolf *et al.*), S97
- strabismus surgery in children, nausea and vomiting after-droperidol as an antiemetic: abst. (Hardy *et al.*), S103
- unequal pupil size following anaesthesia: clinical report (Stirt *et al.*), 422

Fentanyl, see Analgesics, Anaesthetics, Intravenous

Fetus, see Pregnancy

Fluid balance, mannitol and rapid infusions of saline, effect on cerebral blood volume and intracranial pressure in dogs (Ravussin *et al.*), 506

Genetic factors

- conjoined twins, anaesthetic considerations in separation of: clinical report (James *et al.*), 402
- Ebstein's anomaly, anaesthesia for Caesarean section in a pre-eclamptic patient with: clinical report (Halpern *et al.*), 244
- hyperthermia: clinical report (Lee *et al.*), 268
- myotonic dystrophy, Caesarean section for twins in a patient with: clinical report (Paterson *et al.*), 418
- nemaline rod myopathy, anaesthetic implications of: clinical report (Cunliffe and Burrows), 543
- porphyria: induction of anaesthesia with etomidate in a patient with: clinical report (Famewo), 171

Geriatric, see Age; Anaesthesia, geriatric

Glycopyrrolate, see Parasympathetic nervous system

Heart

- cardiac

- physiology and monitoring; refresher course outline (Reves), S1
- risk, assessing in patients undergoing non-cardiac surgery: abst. (Zeldin), 94

- cardiovascular

- changes in elderly patients, anaesthetic considerations: continuing medical education (Desmeules *et al.*), 184
- system function, haemodynamic monitoring: continuing medical education (Wynands), 288
- congenital defects, mitral valve prolapse: brief review (Kowalski), 138
- congenital heart disease, pulmonary circulation in: review article (Burrows and Rabinovitch), 364

- coronary artery disease

- myocardial function, effect of anaesthetics for intubation on (Moffitt *et al.*), 105
- surgical versus medical management: abst. (Coles *et al.*), 193
- distention, influence on tracheomotor response to cardio-pulmonary bypass (Byrick *et al.*), 223
- dysrhythmias in children during halothane anaesthesia, effect of atropine versus glycopyrrolate and depth of anaesthesia: abst. (Badgwell *et al.*), S93
- rate, after rapid paralysis with atracurium in cats (Giffin *et al.*), 618
- stress-free cardiac anaesthesia: refresher course outline (Boulanger), S20

Hepatitis, see Liver

Histamine

- cimetidine

- effect on biotransformation of enflurane in man: abst. (Maloney *et al.*), S94
- premedication, in surgical outpatients, effect on serum fentanyl concentrations: abst. (Stock and Sutherland), S62
- H₂ receptor blockers, cimetidine, ranitidine, for premedication in pregnant day care patients (Jeremy *et al.*), 463

Hormones

- endocrine, effects of etomidate: abst. (Wagner *et al.*), 95
- prostaglandins, influence on baroreflex function in a patient with Bartter's syndrome: clinical report (Nishikawa and Dohi), 646

Hydrothorax, see Complications

Hypertension, see Blood Pressure

Hyperthermia

- *malignant pyrexia*
 - Continuing medical education (Britt), 665; refresher course outline (Britt), S40
- dantrolene
 - availability in Canadian hospitals: correspondence (Paasuke), 567
 - in management of: editorial (Duncan), 205
- postoperative, a variant: clinical report (Lee *et al.*), 268

Hyperventilation, see Carbon dioxide

Hypocapnia, see Acid-base equilibrium

Hypoxaemia, see Oxygen

Hypoxia, arterial oxygenation during anaesthesia, evaluation of: refresher course outline (Knill), S16

Immune system

- AIDS and the anaesthetist: brief review (Cordero *et al.*), 45
- immunodeficiency, opportunistic infection, protective measures: brief review (Cordero *et al.*), 45

Induction

- of anaesthesia, rectal methohexitone, in paediatric outpatients, effect of physostigmine on recovery (Hannallah *et al.*), 231
- of anaesthesia with fentanyl, in patients with coronary artery disease (Murkin *et al.*), 320
- onset times following administration of pancuronium and d-tubocurarine: abst. (Cashman *et al.*), 562
- rapid-sequence, use of nondepolarizing agents in place of succinylcholine: abst. (Baumgarten and Brown), S57

Inhalation anaesthesia, see Anaesthetic gases

Interactions, amiodarone with anaesthetic agents (Liberman and Teasdale), 629

Intestinal Blood Flow, isolated intestinal loop preparation, effects of anaesthesia induction drugs on circulation in (Tverskoy *et al.*), S16

Intraocular, see Eye

Intubation

- *endotracheal*
 - atracurium, compared with succinylcholine for, in short surgical procedures (Ramsay *et al.*), 613
 - cardiovascular responses to, in geriatric patients using low-dose fentanyl (Chung and Evans), 622
 - complications, effects on coronary blood flow and myocardial oxygenation (Moffitt *et al.*), 105
 - difficult, cause by ankylosis of the temporomandibular joint after temporal craniotomy: clinical report (Coonan *et al.*), 158

- difficult, clinical sign to predict: clinical report (Mallampati *et al.*), 429
- in children, factors affecting leak around tubes (Finholt *et al.*), 326
- rapid in children, effect of lidocaine on, intraocular response to (Lerman and Kiskis), 339
- retrograde, cardiovascular effects in patients undergoing open heart surgery: clinical report (Casthely *et al.*), 661
- study of tracheal tube cuff pressures in: abst. (Seegobin and Van Hasselt), 95
- using intravenous lidocaine, effect of injection time on circulating response to: abst. (Tam *et al.*), S65

- oral, in cases of traumatic cervical spinal injuries: abst. (Doolan), S84

Ions**- calcium**

- channel blockers in anaesthesia, continuing medical education (Jenkins and Scoates), 436
- entry blockers, diltiazem: review (Britt), 30
- plasma levels in man, effect of protamine sulphate on: abst. (Williams), S85

Isoetharine, see Bronchodilators

Ketamine, see Anaesthetics, Intravenous

Kidney

- diuretics, mannitol, infusion of a large bolus of, on cerebral blood volume, intracranial pressure and total blood volume in dogs: abst. (Ravussin *et al.*), S81
- renal changes in elderly patients and their anaesthetic implications: continuing medical education (Desmeules *et al.*), 184
- renal responses and sequelae in trauma, (Bevan), 242

Laparoscopy, see Surgery

Lasers, see Equipment

Lidocaine, see Anaesthetics, Local

Liver

- hepatic changes in elderly patients and their anaesthetic implications: continuing medical education (Desmeules *et al.*), 184
- disease and atracurium, case report: clinical report (Gyasi and Naguib), 161
- hepatitis due to abuse of methoxyflurane: clinical report (Okuno *et al.*), 53
- hepatitis-B vaccine for anaesthesia personnel; editorial (Hammond and Craig), 210
- hepatotoxicity of halothane: refresher course outline (Cousins *et al.*), S52

Lung

- airway tone, inflation during cardiopulmonary bypass, effect of lung deflation or cardioplegia administration on (Byrick *et al.*), 223
- bronchospasm, choline-induced in dogs, effect of metaproterenol, isoetharine and salbutamol on (Casthely *et al.*), 112
- hypoxic pulmonary vasoconstriction, relationship to protamine induced hypoxaemia (Kim *et al.*), 5
- intravascular pressures (diastolic pulmonary arterial pressure - pulmonary capillary wedge pressure gradient-DPAP-PCWP), after cardiopulmonary bypass: clinical report (Heinonen *et al.*), 165
- *pulmonary*
 - artery catheter causing pulmonary artery rupture: clinical report (Muller and Gallucci), 258
 - artery catheterization, a haemodynamic monitoring technique: continuing medical education (Whalley), 299
 - artery catheterization, endocarditis following: abst. (Rowley *et al.*), 307
 - circulation in children with congenital heart disease: review article (Burrows and Rabinovich), 364
 - dysfunction in trauma (Gelb), 236
 - edema, acute cardiogenic, CPAP by mask in: abst. (Räsänen *et al.*), 307
 - function, during fiberoptic bronchoscopy: abst. (Matsushima *et al.*), 194
 - function testing, flow-loop in goiter patients undergoing thyroidectomy: abst. (Cunningham *et al.*), S83
 - respiratory distress syndrome, PEEP in patients at risk of: abst. (Pepe *et al.*), 193
 - vasoconstriction, protamine-induced, accompanying haematologic and immunologic changes: clinical changes (Harrow), 49

Mannitol, see Fluid Balance

Measurement techniques

- blood pressure, systemic: continuing medical education (Scott), 294
- Doppler ultrasound, to study blood flow velocity in uteroplacental and umbilical placental infusion in study of effect of epidural anaesthesia for Caesarean section: abst. (Lah *et al.*), S76
- patient monitoring with computers in anaesthesia, 379
- oximetry, use in general anaesthesia for Nd:YAG laser resection of obstructing endobronchial tumors: clinical report (Duckett *et al.*), 67

Meetings

- 50th anniversary of founding of Nuffield Department

of Anaesthetists; World Congress on the history of Anaesthesia: correspondence (Sykes), 684

Meperidine, see Analgesics

Metabolism

- artificial endocrine pancreas to control blood-glucose in a patient with pheochromocytoma (Hamaji *et al.*), 538
- lipoperoxide plasma levels during paediatric anaesthesia (Obara), 359
- vitamin E plasma levels during paediatric anaesthesia (Obara), 359

Metaproterenol: see Bronchodilators

Methacholine, see Bronchodilators

Methohexitone, see Anaesthetics, Intravenous

Methoxyflurane, see Anaesthetics, Volatile

Methylmethacrylate, see Surgery, Orthopaedic, bone cement

Metoclopramide, see Vomiting, antiemetics

Mitral Valve Prolapse, see Heart, congenital defects

Modelling, computers in clinical, 381

Monitoring

- arterial oxygenation during anaesthesia: refresher course outline (Knill), S16
 - cardiac physiology and: refresher course outline (Reves), S1
 - cerebral during carotid endarterectomy, value of: abst. (Gelb *et al.*), S82
 - end-tidal carbon dioxide for embolic problems during craniotomy: clinical report (Symons and Leaver), 174
 - foetal, during surgery unrelated to pregnancy: editorial (Biehl), 455
 - foetal in parturients undergoing surgery unrelated to pregnancy: clinical report (Liu *et al.*), S25
 - *haemodynamic*
 - a computer system for: abst. (Doyle), S68
 - cardiovascular function: continuing medical education (Wynands), 288
 - measurement of systemic blood flow: continuing medical education (Scott), 294
 - pulmonary artery catheterization: continuing medical education (Whalley), 299
 - intravascular, via axillary artery: abst. (Brown *et al.*), S62
 - of anaesthetists during a 24 hour period using a Holter monitor: abst. (Harder *et al.*), S66
 - temperature probes, sites of after open heart surgery (Ramsay *et al.*), 607
 - volatile anaesthetic agent monitors, accuracy and linearity of three models: abst. (Ilsley *et al.*), S80
- Monitors, see Equipment

Morphine, see Anaesthetics, Intravenous, Analgesics
Muscle, cardiac, slow action potential, lack of effects of d-tubocurarine and pancuronium on (Arimura *et al.*), 484

Myasthenia gravis, see Complications

Nalbuphine, see Antagonists, Narcotic

Naloxone, see Antagonists, Narcotic

Nasogastric tubes, see Equipment

Nemaline rod myopathy, see Genetic factors

Neuromuscular blockade, onset accelerated by administration of divided doses of pancuronium (Doherty *et al.*), 1

Neuromuscular relaxants

– *atracurium*

- and severe hepatic disease, case report: clinical report (Gyasi and Naguib), 161
- and vecuronium: editorial (Bevan), 317
- clinical use in myasthenia gravis: clinical report (Ramsey and Smith), 642
- compared with succinylcholine for short surgical procedures (Gyasi *et al.*), 613
- for short operations, compared with succinylcholine: abst. (Gyasi *et al.*), S58
- in neonatal anaesthesia: correspondence (Hall and Leiman), 453
- intracranial pressure, mean arterial pressure, heart rate, after rapid paralysis with, in cats (Giffin *et al.*), 618
- pharmacodynamic half-life of: abst. (Donati and Bevan), S56

– *d-tubocurarine*

- and pancuronium, onset of action, with priming doses: abst. (Lavelle *et al.*), S58
- curare, pretreatment and succinylcholine, optimal interval between: correspondence (Hanning), 452
- lack of effects of, on slow-action potential of the guinea pig papillary muscle (Arimura *et al.*), 484
- onset times following administration of, alone and mixed with pancuronium: abst. (Cashman *et al.*), S62
- in infants and children: refresher course outline (Goudsouzian), S27
- *pancuronium*
 - and d-tubocurarine, onset of action with priming doses: abst. (Lavelle *et al.*), S58
 - for induction of anaesthesia for rapid intubation of

children, intraocular pressure studies using lidocaine (Lerman and Kiskis), 339

- lack of effects of, on slow action potential of the guinea pig papillary muscle (Arimura *et al.*), 484
- onset times following administration alone and with d-tubocurarine: abst. (Cashman *et al.*), S62
- onset time reduced by administering divided doses (Doherty *et al.*), 1
- relation of train of four ratio and twitch depression with: abst. (Woodey *et al.*), S59
- *succinylcholine*
 - and curare, optimal time interval between administration: correspondence (Hanning), 452
 - compared with atracurium for short surgical procedures (Gyasi *et al.*), 613; abst. S58
 - effect on action of atracurium in a case of severe liver disease: clinical report (Gyasi and Naguib), 101
 - hydrolysis of, inhibitory effect of glycopyrrolate and atropine on (Zsigmond *et al.*), 20: correspondence (Mirakhor), 683; reply (Zsigmond), 683
 - replacement by nondepolarizing agents for rapid-sequence induction: abst. (Baumgarten and Brown), S57

Neurons, see Brain

Nitroprusside, see Anaesthetic techniques, hypotension, induced; Surgery, Cardiac

Nitrous oxide, see Anaesthetic Gases

Obituary

- Harold Griffith (DMMG), 570

Occupational hazards

- AIDS and the anaesthetist: brief review (Cordero *et al.*), 45

Operating room

- mass spectrometry in: correspondence (Weiler *et al.*), 98

Organizations

- Canadian Anaesthetists' Society-research award: editorial (Bevan and Craig), 460

Osteotomy, lumbar, see Surgery

Outpatient, see Anaesthesia

Oxygen

- consumption, cerebral versus systemic, during high-dose narcotic anaesthesia for cardiac surgery: abst. (Murkin *et al.*), S63
- hypoxaemia, protamine induced (Kim *et al.*), 5

Packaging, marcine label changes: correspondence (Blair), 202

Paediatric anaesthesia, see Anaesthesia, Paediatric Pain

- acute and chronic, use of partial antagonist analgesics in treatment: conference summary (Budd), 399
- due to skin infiltration with local anaesthetics: abst. (Morris and Whish), 95
- measurement: abst. (Chapman *et al.*), 563
- postoperative dezocine and morphine compared for relief of (Pandit *et al.*), 583
- *postoperative*
 - dezocine and morphine compared for relief of (Pandit *et al.*), 583
 - epidural fentanyl with and without epinephrine for Caesarean section analgesia (Robertson *et al.*), 502
 - epidural morphine for (Writer *et al.*), 330
 - following cardiac surgery, TENS for analgesia: abst. (Navarathnam *et al.*), 308
 - following spinal anaesthesia, meperidine as sole agent: clinical report (Famewo and Naguib), 533
- relief in anaesthesia: conference summary (Davies and Paske), 390

Pancuronium, see Neuromuscular relaxants

Parasympathetic nervous system

- atropine, inhibitory effects, on human plasma cholinesterase (Zsigmond *et al.*), 20
- glycopyrrolate, inhibitory effect on human plasma cholinesterase (Zsigmond *et al.*), 20; correspondence (Mirakur), 683; reply (Zsigmond), 683

PEEP, see Ventilation, positive-end-expiratory pressure

Phaeochromocytoma, see Surgery

Pharmacokinetics

- and clinical anaesthesia: refresher course outline (Hull), S13
 - of fentanyl in patients undergoing abdominal aortic surgery: abst. (Hudson *et al.*), S60
 - uptake and elimination, isoflurane-arterial and CSF: abst. (Brown *et al.*), S74
- Pharmacology
- streptokinase in thrombolytic therapy: brief review (Bailey *et al.*), 385
 - urokinase in thrombolytic therapy: brief review (Bailey *et al.*), 385

Physostigmine, see Antagonists

Porphyria, see genetic factors

Pre-eclampsia, see Complications

Pregnancy

- foetal monitoring during surgery unrelated to: editorial (Biehl), 455
- foetal umbilical circulation and gas exchange, effects of bupivacaine on (Fleming *et al.*), S75
- surgery unrelated to, foetal monitoring in: clinical report (Liu *et al.*), S25
- umbilical cord occlusion in foetal lamb *in utero*, effects of general anaesthesia on (Swartz *et al.*), 577

Premedication

- atropine versus glycopyrrolate, effect on cardiac dysrhythmia in children during halothane anaesthesia: abst. (Badgwell *et al.*), S93
- glycopyrrolate versus atropine, effect on cardiac dysrhythmia in children during halothane anaesthesia: abst. (Badgwell *et al.*), S93
- *histamine H₂ receptor*
 - antagonists, effect on serum fentanyl concentrations in surgical outpatients: abst. (Stock and Sutherland), S62
 - blockers, cimetidine, ranitidine, in pregnant day-care patients (Jeremy *et al.*), 463

Protamine, see Blood Coagulation

Pulmonary, see Lung

Pyridostigmine, see Antagonists, Neuromuscular

Records, Anaesthetic, computers in management of, 378

Recovery, after anaesthesia with alfentanil or halothane (Cartwright), 479

Reflex, baroreflex function in a patient with Bartter's syndrome: clinical report (Nishikawa and Dohi), 646

Regurgitation, see Complications, aspiration

Renal, see Kidney

Respiration, see Ventilation

Respiratory distress syndrome, see Lung

Respiratory system, airway tone, relaxation by PEEP, influence of hypocapnia and acidemia on (Byrick), 12

Scavengers, see Equipment, Exhaust systems

Sleep, impairment of quality in humans by isoflurane anaesthesia: abst. (Moote *et al.*), S99

Spinal cord

- *blood flow*
 - effect of intercostal ligations on: abst. (Kozody *et al.*), S92
 - effect of thoracic aortic cross-clamping: abst. (Kozody *et al.*), S91

- following subarachnoid lidocaine (Kozody *et al.*), 472
- following subarachnoid tetracaine (Kozody *et al.*), 23
- in dogs, decreased by bupivacaine (Kozody *et al.*), 216
- cervical spine trauma, recognition of instability and safe intubation: abst. (Doolan), S84
- Succinylcholine, see Neuromuscular relaxants
- Surgery
 - abdominal aortic, pharmacokinetics of fentanyl in patients undergoing: abst. (Hudson *et al.*), S60
 - aortic arch aneurysm repair: anaesthesia for: clinical report (Casthely *et al.*), 73
 - assessing cardiac risk in: abst. (Zeldin), 94
 - bronchoscopy
 - evaluation of jet injector in paediatric fiberoptic bronchoscopes: technical report (Sloan and McLeod), 79
 - via rigid bronchoscope, general anaesthesia for Nd:YAG laser excision of obstructing endobronchial tumour: clinical report (Duckett *et al.*), 67
 - cardiac
 - cerebral versus systemic oxygen consumption during high-dose narcotic anaesthesia for: abst. (Murkin *et al.*), S63
 - nitroglycerin and nitroprusside compared for postoperative cardiopulmonary bypass temperature decrease: abst. (Fyman *et al.*), S89
 - plasma thiopentone levels during continuous infusion of: abst. (Prideaux *et al.*), S106
 - pulmonary artery rupture in patients undergoing: clinical report (Muller and Gallucci), 258
 - pulsus alternans after fentanyl injection in a patient with aortic stenosis and congestive heart failure: clinical report (Freeman and Steinbrook), 654
 - TENS for analgesia, following: abst. (Navarathnam *et al.*), 308
 - use of ADQ monitor to detect cerebral ischaemia, during: abst. (James *et al.*), S87
 - cardiovascular
 - aortocoronary bypass: reversal of respiratory depression with low-dose nalbuphine (Ramsay *et al.*), 597
 - cardiopulmonary bypass
 - increase pulmonary artery diastolic-pulmonary wedge pressure gradient after: clinical report (Heinonen *et al.*), 165
 - influence of cardioplegia administration and lung deflation on large airway tone during (Byrick *et al.*), 223
 - postoperative temperature decrease, nitroglycerin and nitroprusside for, comparison: abst. (Fyman *et al.*), S89
 - relationship between blood isoflurane concentration and EEG changes during: abst. (Johnson *et al.*), S88
 - coronary artery bypass, end-tidal carbon-dioxide tension and temperature changes after: clinical report (Donati *et al.*), 272
 - coronary, fentanyl-halothane anaesthesia for myocardial metabolism and haemodynamic responses to: abst. (Moffitt *et al.*), S86
 - open heart, retrograde intubation in patients undergoing: clinical report (Casthely *et al.*), 661
 - open heart, site of temperature monitoring and prediction of afterdrop following (Ramsay *et al.*), 607
 - carotid endarterectomy, cerebral monitoring during: abst. (Gelb *et al.*), S82
 - cleft palate, airway obstruction due to massive lingual oedema following: clinical report (Lee and Kingston), 264
 - colon interposition, aspiration during induction of anaesthesia: clinical report (Gallagher *et al.*), 56
 - craniotomy, ankylosis of the temporo-mandibular joint after, a cause of difficult intubation: clinical report (Coonan *et al.*), 158
 - gynaecological, atracurium compared with succinylcholine for short procedures (Gyasi *et al.*), 613
 - laparoscopy, massive haemorrhage during: correspondence (Mah), 567
 - orthopaedic, using bone cement (Methylmethacrylate), in a case of malignant pheochromocytoma: clinical report (Miller and Robblee), 278
 - osteotomy, lumbar posterior, anaesthetic management: clinical report (Wills), 248
 - outpatient
 - droperidol as an antiemetic: abst. (Valanne *et al.*), 563
 - effect of H₂ receptor antagonist premedication on serum fentanyl concentrations in: abst. (Stock and Sutherland), S62
 - pre-operative fasting, effect on gastric contents and morbidity: abst. (Sutherland *et al.*), S100
 - perioperative hypertension: refresher course outline (Miller), S42

- *phaeochromocytoma*
 - blood glucose control by artificial pancreas in a patient with: clinical report (Hamaji *et al.*), 538
 - malignant, perioperative management of patient: clinical report (Miller and Robblee), 278
 - *postoperative*
 - coronary patients, haemodynamic and myocardial effects of nitroprusside given to: abst. (Barker *et al.*), S85
 - transient neurologic abnormalities following enflurane and isoflurane anaesthesia: abst. (McCullough and Milne), S70
 - post-thoracotomy patients, respiratory effects following epidural and systemic morphine in: abst. (Chovaz and Sandler), S78
 - *preoperative*
 - advice, effect on cigarette consumption: abst. (Shah *et al.*), 308
 - respiratory therapy: abst. (Celli *et al.*), 194
 - thyroidectomy for goitre, pre-operative flow volume pulmonary testing in: abst. (Cunningham *et al.*), S83
- Sympathetic nervous system
- *catecholamines*
 - epinephrine
 - added to tetracaine in subarachnoid block to prevent changes in spinal cord blood flow (Kozody *et al.*), 23
 - and bupivacaine for subarachnoid block, decreases spinal cord blood flow in dogs (Kozody), 216
 - and lidocaine in subarachnoid block, effect on spinal cord blood flow (Kozody *et al.*), 462
 - systemic, effect of three concentrations of, in supraclavicular brachial plexus block: abst. (MacDonald *et al.*), S67
 - sympathomimetic agents, effect on baroreflex function in a patient with Bartter's syndrome: clinical report (Nishikawa and Dohi), 646
- Temperature
- body, changes after coronary artery bypass surgery: clinical report (Donati *et al.*), 272
 - body, rewarming, site of monitoring and prediction of after-drop, following open heart surgery (Ramsay *et al.*), 607
- Tetracaine, see Anaesthetics, Local
- Thermal injuries, see Complications, burns
- Thiopentone, see Anaesthetics, Intravenous
- Thoracotomy, see Surgery
- Thromboembolism, see Embolism
- Thyroidectomy, see Surgery
- Tobacco, consumption and preoperative advice (Shah *et al.*), 308
- Toxicity, hepatic, of volatile anaesthetic agents: refresher course outline (Cousins *et al.*), S52
- Transfusion, massive during trauma (Hewson), 239
- Trauma
 - cervical spine injury, recognition of instability and safe intubation: abst. (Doolan), S84
 - head injury, management of: refresher course outline (Frost), S32
 - homeostatic alteration with major: a panel discussion (Hewson *et al.*), 235
- Twins, see Genetic factors
- Vancomycin, see Antibiotics
- Vaporizers, see Equipment
- Veins
 - *cannulation*
 - caused by epidural catheter insertion in epidural anaesthesia in obstetrics, effect of hyperventilation on: correspondence (Rolbin *et al.*), 568
 - of internal jugular vein, use of modified Doppler flow meter for percutaneous: technical report (Lee and Chinyanga), 548
 - subclavian, complications following bilateral hydrothorax: clinical report (Naguib *et al.*), 412
- Ventilation
 - continuous positive airway pressure by mask in acute cardiogenic pulmonary edema: abst. (Rasanen *et al.*), 307
 - effects of doxapram on: abst. (Birki), 94
 - intermittent mandatory systems: abst. (Christopher *et al.*), 563
 - jet ventilation, high frequency, a new transtracheal catheter for: clinical report (Ravussin and Freeman), 60; correspondence (Layman), 684; reply (Ravussin), 684
 - *positive end-expiratory pressure*
 - effect on smooth muscle tone, influence of hypocapnia and acidemia on (Byrick), 12
 - in patient at risk of adult respiratory distress syndrome: abst. (Pepe *et al.*), 193
 - post-operative respiratory therapy: abst. (Celli *et al.*), 194
 - respiratory depression, effects of epidural fentanyl on: abst. (Ahuja and Strunin), S77

- respiratory rhythm generation: review article (Duffin and Hung), 124

Venturi in general anaesthesia for Nd:YAG laser resection of obstructing endobronchial tumours: clinical report (Duckett *et al.*), 67

Vomiting

- after strabismus surgery in preschoolers, droperidol as an anti-emetic: abst. (Hardy *et al.*), S103

- anti-emetics

- droperidol, for outpatients: abst. (Valanne *et al.*), 563
- droperidol, in day case dental surgery: abst. (O'Donovan and Shaw), 307
- metoclopramide, usefulness of in anaesthesia and emesis: correspondence (Diamond), 198; reply (Palazzo and Strunin), 199

- emesis

- and anaesthesia: correspondence (Diamond), 198; reply (Palazzo and Strunin), 199
- and fentanyl: correspondence (Sosis), 314; reply (Palazzo), 314
- emetic properties of nitrous oxide: correspondence (Gillman), 315

X-rays

- chest, routine in hospital admission, value of: abst. (Hubbell *et al.*), 563

see also Diagnosis

